



Microresistivity Log

DIGITAL LOG (785) 625-3858

API No. 15-009-25,275-00-00	Company Samuel Gary Jr. and Associates, Inc.	
	Well Schneweis No. 3-35	
	Field Snow White	
	County Barton	State Kansas
	Location 615' FNL & 2155' FEL	Other Services CNL / CDL DIL / BHCS
	Sec: 35 Twp: 17S Rge: 12W	Elevation

Permanent Datum	Ground Level	Elevation 1843
Log Measured From	Kelly Bushing	10 Ft. Above Perm. Datum
Drilling Measured From	Kelly Bushing	K.B. 1853 D.F. 1843 G.L. 1843
Date	11 / 24 / 2008	
Run Number	Two	
Depth Driller	3600	
Depth Logger	3599	
Bottom Logged Interval	3598	
Top Log Interval	1500	
Casing Driller	8.625 @ 710	
Casing Logger	710	
Bit Size	7.875	
Type Fluid in Hole	Chemical	
Salinity, ppm CL	5.000	
Density / Viscosity	9.3 49	
pH / Fluid Loss	11.5 8.8	
Source of Sample	Flowline	
Rm @ Meas. Temp	.48 @ 58	
Rmf @ Meas. Temp	.36 @ 58	
Rmc @ Meas. Temp	.65 @ 58	
Source of Rmf / Rmc	Charts	
Rm @ BHT	.25 @ 113	
Operating Rig Time	6 Hours	
Max Rec. Temp. F	113	
Equipment Number	4	
Location	Hays	
Recorded By	J. Loffredi	
Witnessed By	Justin Carter	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Highway 4 and Oden Blacktop, 1 North,
3/4 West, South into


Database File: c:\warrior\data\sam gary_schneweis no. 3-35\samgaryhd.db
Dataset Pathname: dil\sgstack
Presentation Format: micro
Dataset Creation: Mon Nov 24 07:49:03 2008
Charted by: Depth in Feet scaled 1:240


0	Gamma Ray	150
6	Micro Log Caliper (GAPI)	16
-200	SP	0



0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
10000	Line Weight	0

	LSPD
--	------






1700

1750

1800

1850

1900




-29

-29

-29

-28

-28





1950

2000

2050

2100






2150

2200

2250

2300




-28

-28

-28

-27




2350

2400

2450

2500

2550




-28

-27

-27

-27

-27




2600

2650

2700

2750




-27

-27

-27

-27





2800

2850

2900

2950






3250

3300

3350

3400





-26

-26

-26

-26




LSPD

Repeat Section

Database File: c:\warrior\data\sam gary_schneweis no. 3-35\samgaryhd.db
Dataset Pathname: dil/sgrep
Presentation Format: micro
Dataset Creation: Mon Nov 24 09:33:53 2008
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150
6	Micro Log Caliper (GAPI)	16
-200	SP	0

0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40





3300

3350

3400

3450





3500

3550

3600

