



Dual Compensated Porosity Log

DIGITAL LOG (785) 625-3858

API No.

15-009-25,275-00-00

Company Samuel Gary Jr. and Associates, Inc.

Well Schneweis No. 3-35

Field Snow White

County Barton State Kansas

Location 615' FNL & 2155' FEL

Sec: 35

Twp: 17S

Rge: 12W

Other Services
DIL
MEL / BHCS

Permanent Datum Ground Level Elevation 1843

Log Measured From Kelly Bushing 10 Ft. Above Perm. Datum

K.B. 1853
D.F.
G.L. 1843

Date 11 / 24 / 2008

Run Number One

Type Log CNL / CDL

Depth Driller 3600

Depth Logger 3599

Bottom Logged Interval 3578

Top Logged Interval 1500

Type Fluid In Hole Chemical

Salinity, PPM CL 5,000

Density 9.3

Level Full

Max. Rec. Temp. F 113

Operating Rig Time 6 Hours

Equipment -- Location 4 Hays

Recorded By J. Loffredi

Witnessed By Justin Carter

Borehole Record

Casing Record

Run No	Bit	From	To	Size	Wgt.	From	To
--------	-----	------	----	------	------	------	----

1	12.25	00	710	8.625	24#	00	710
---	-------	----	-----	-------	-----	----	-----

2	7.875	710	3600				
---	-------	-----	------	--	--	--	--

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858


Highway 4 and Oden Blacktop, 1 North,
3/4 West, South into


Database File: c:\warrior\data\sam gary_schneweis no. 3-35\samgaryhd.db
Dataset Pathname: dil\sgstack
Presentation Format: cdl
Dataset Creation: Mon Nov 24 07:49:03 2008
Charted by: Depth in Feet scaled 1:240


0	Gamma Ray	150
6	Caliper (GAPI)	16


30		Compensated Density		-10	
2		Bulk Density		3	
15000		Line Tension		0	
2.625	DGA	3.425	-0.25	Correction	0.25
					LSPD






























Database File: c:\warrior\data\sam gary_schneweis no. 3-35\samgaryhd.db
Dataset Pathname: dil\sgstack
Presentation Format: cndlspec
Dataset Creation: Mon Nov 24 07:49:03 2008
Charted by: Depth in Feet scaled 1:240


0	Gamma Ray	150						30	Compensated Neutron (Limestone)		-10		
6	Caliper (GAPI)	16						30	Compensated Density (2.71 ma)		-10		
								2.625	DGA	3.425	-0.25	Correction	0.25
								15000	Line Tension				0
												LSPD	


























0	Gamma Ray	150	30	Compensated Neutron (Limestone)	-10
6	Caliper (GAPI)	16	30	Compensated Density (2.71 ma)	-10
			2.625	DGA	3.425
			-0.25	Correction	0.25

		15000	Line Tension	0
				LSPD