



Borehole Compensated Sonic Log

DIGITAL LOG (785) 625-3858

API No.

15-159-22,589-00-00

Company **Samuel Gary Jr. & Associates, Inc.**

Well **Bredfeldt-Boldt No. 1-24**

Field **Wildcat**

County **Rice** State **Kansas**

Location

C E/2 SE
1320' FSL & 660' FEL

Other Services
CNL/CDL
MEL/DIL

Sec: **24**

Twp: **18S**

Rge: **10W**

Elevation

Permanent Datum Ground Level Elevation 1731

Log Measured From Kelly Bushing 10 Ft. Above Perm. Datum

K.B. 1741
D.F.
G.L. 1731

Date 11/16/2008

Run Number Two

Type Log BHC Sonic

Depth Driller 3340

Depth Logger 3342

Bottom Logged Interval 3331

Top Logged Interval 300

Type Fluid In Hole Chemical

Salinity, PPM CL 4800

Density 9.3

Level Full

Max. Rec. Temp. F 111

Operating Rig Time 4 1/2 Hours

Equipment -- Location 17 Hays

Recorded By Mike Garrison

Witnessed By Justin Carter

Borehole Record Casing Record

Run No Bit From To Size Wgt. From To

1 12.25 00 351 8.625 24# 00 351

2 7.875 351 3340


Comments



Thank you for using Log-Tech, Inc.
(785) 625-3858



Bushton from intersection of Hwy 71 and Hwy 4., 1/2 East to 6th Rd., 3 South,
1 East on D Ave, 1/2 South, West Into



Database File: c:\warrior\data\sam gary_bredfeldt-boldt no. 1-24\sgaryhd.db
Dataset Pathname: dil\sgstck
Presentation Format: sonic
Dataset Creation: Sun Nov 16 03:28:13 2008
Charted by: Depth in Feet scaled 1:240



0	Gamma Ray	150	Sonic Int	140	Delta Time (usec/ft)	40
150	Gamma Ray	300	5	0	SPOR	-10
6	Caliper (GAPI)	16		30	LTEN (lb)	0
						LSPD



















































0	Gamma Ray	150
150	Gamma Ray	300
6	Caliper (GAPI)	16

Sonic Int
5 0



140	Delta Time (uSec/ft)	40
30	SPOR	-10
10000	LTEN (lb)	0

LSPD