



Borehole Compensated Sonic Log

DIGITAL LOG (785) 625-3858

API No.

15-135-24,850-00-00

Company Pickrell Drilling Company, Inc.

Well Vogel Trust "D" No.1

Field WCV

County Ness State Kansas

Location

NE NE NE
330' FNL & 330' FEL

Other Services
RAG

Sec: 24 Twp: 19S Rge: 26W

Permanent Datum Ground Level Elevation 2597

Log Measured From Kelly Bushing 5 Ft. Above Perm. Datum

K.B. 2602
D.F.
G.L. 2597

Date 10/30/2008

Run Number Two

Type Log BHC Sonic

Depth Driller 4586

Depth Logger 4585

Bottom Logged Interval 4574

Top Logged Interval 250

Type Fluid In Hole Chemical

Salinity, PPM CL 5,600

Density 9.1

Level Full

Max. Rec. Temp. F 122

Operating Rig Time 4 Hours

Equipment -- Location 17 Hays

Recorded By C. Desaire

Witnessed By Jerry Smith

Borehole Record

Casing Record

Run No	Bit	From	To	Size	Wgt.	From	To
--------	-----	------	----	------	------	------	----

1	12.25	00	286	8.625	24#	00	286
---	-------	----	-----	-------	-----	----	-----

2	7.875	286	4586				
---	-------	-----	------	--	--	--	--

--	--	--	--	--	--	--	--

--	--	--	--	--	--	--	--

--	--	--	--	--	--	--	--

--	--	--	--	--	--	--	--

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Beeler, From Hwy 5 S, 1 1/2 E,
1/2 N, 1 E, Cross Ctl Grd,
1/4 N to Y, Take a Rt

Database File: c:\warrior\data\pickrell_vogel trust d no.1\pkrlhd.db
Dataset Pathname: rag/pkrlrag
Presentation Format: sonic
Dataset Creation: Thu Oct 30 09:43:29 2008
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150	5	0	140	Delta Time (usec/ft)		40
150	Gamma Ray	300			30	Sonic Porosity (Limestone)		-10
6	Caliper (GAPI)	16			10000	LTEN (lb)		0
								LSPD









































