



Dual Compensated Porosity Log

DIGITAL LOG (785) 625-3858

API No.	Company Trans Pacific Oil Corporation		
	Well Allison "A" No. 8-13		
	Field Solomon NE		
	County Ellis	State Kansas	
	Location	SE NE NE NW 565' FNL & 2,820' FEL	
	Sec: 13	Twp: 11S	Rge: 19W
	Other Services		DIL

Permanent Datum	Ground Level	Elevation 1962
Log Measured From	Kelly Bushing	5 Ft. Above Perm. Datum
Drilling Measured From	Kelly Bushing	K.B. 1967 D.F. 1962 G.L. 1962

Date	3/23/09
Run Number	One
Type Log	CNL / CDL
Depth Driller	3510
Depth Logger	3506
Bottom Logged Interval	3485
Top Logged Interval	2800
Type Fluid In Hole	Chemical
Salinity, PPM CL	2200
Density	8.9
Level	Full
Max. Rec. Temp. F	113
Operating Rig Time	2 Hours
Equipment -- Location	17 Hays
Recorded By	J. Long
Witnessed By	M. Garrison
	W. Bryce Bidleman

Borehole Record				Casing Record			
Run No	Bit	From	To	Size	Wgt.	From	To
1	12.25	00	212	8.625	24#	00	212
2	7.875	212	3510				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Hays, N to Saline River Rd, 4 W, S Into

Database File: c:\warrior\data\trans pacific_allison a no. 8-13\transpachd.db
Dataset Pathname: dil\tpstack3
Presentation Format: cdl
Dataset Creation: Mon Mar 23 21:58:45 2009
Charted by: Depth in Feet scaled 1:600

0	Gamma Ray	150
6	Caliper (in)	16

30	Compensated Density (pu)				-10
2	Bulk Density (g/cc)				3
15000	Line Tension (lb)				0
2.625	DGA (g/cc)	3.425	-0.25	Correction (g/cc)	0.25
					LSPD (ft/min)











