



Dual Induction Log

DIGITAL LOG (785) 625-3858

API No. 051-25,852-00-00

Company Trans Pacific Oil Corporation

Well Allison "A" No. 8-13

Field Solomon NE

County Ellis State Kansas

Location SE NE NE NW
565' FNL & 2,820' FEL

Sec: 13 Twp: 11S Rge: 19W

Permanent Datum Ground Level Elevation 1962
Log Measured From Kelly Bushing 5 Ft. Above Perm. Datum
Drilling Measured From Kelly Bushing

Other Services
CNL/CDL
Elevation
K.B. 1967
D.F. 1962
G.L. 1962

Date 3/23/09

Run Number One

Depth Driller 3510

Depth Logger 3506

Bottom Logged Interval 3505

Top Log Interval 200

Casing Driller 8.625 @ 212

Casing Logger

Bit Size 7.875

Type Fluid in Hole Chemical

Salinity, ppm CL 2200

Density / Viscosity 8.9 49

pH / Fluid Loss 10.0 7.8

Source of Sample Flowline

Rm @ Meas. Temp .8 @ 64

Rmf @ Meas. Temp .60 @ 64

Rmc @ Meas. Temp 1.08 @ 64

Source of Rmf / Rmc Charts

Rm @ BHT .45 @ 113

Operating Rig Time 2 Hours

Max Rec. Temp. F 113

Equipment Number 17

Location Hays

Recorded By J. Long

Witnessed By W. Bryce Bidleman

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858



Hays, N to Saline River Rd, 4 W, S Into



Database File: c:\warrior\data\trans pacific_allison a no. 8-13\transpachd.db
Dataset Pathname: dil/tpstack3
Presentation Format: dil2in
Dataset Creation: Mon Mar 23 21:58:45 2009
Charted by: Depth in Feet scaled 1:600



0	Gamma Ray	150
-200	SP (MV)	0



0	Shallow Resistivity (Ohm-m)	50
0	Deep Resistivity (Ohm-m)	50
1000	Conductivity (mmho/m)	0
15000	Line Tension (lb)	0



50	Shallow Resistivity (Ohm-m)	500
50	Deep Resistivity (Ohm-m)	500





















1350







Database File: c:\warrior\data\trans pacific_allison a no. 8-13\transpachd.db
 Dataset Pathname: dil/tpstack3
 Presentation Format: dil
 Dataset Creation: Mon Mar 23 21:58:45 2009
 Charted by: Depth in Feet scaled 1:240



2800

2850






2900

2950

3000

3050

3100




-32

-32

-32

-32

-32




3150

3200

3250

3300




-31

-32

-32

-26




3350

3400

3450

3500

0	Gamma Ray	150
-200	SP (MV)	0
-160	Rxo / Rt	40



-26

-26

-26

-25

0.2	Deep Resistivity (Ohm-m)	2000
0.2	Medium Resistivity (Ohm-m)	2000
0.2	Shallow Resistivity (Ohm-m)	2000
15000	Line Tension (lb)	0

LSPD
(ft/min)