



Microresistivity Log

DIGITAL LOG (785) 625-3858

API No.		Company Credo Petroleum Corporation				
		Well Diane Nemnich No. 1-10				
		Field Roesler West				
		County Barton	State		Kansas	
15-009-25,418-00-00		Location 330' FSL & 380' FEL			Other Services CNL/CDL DIL	
Sec: 10		Twp: 18 S		Rge: 11 W		
Permanent Datum		Ground Level		Elevation 1770		
Log Measured From		Kelly Bushing		8 Ft. Above Perm. Datum		
Drilling Measured From		Kelly Bushing		K.B. 1778 D.F. 1770 G.L. 1770		
Date		5/18/2010				
Run Number		Two				
Depth Driller		3340				
Depth Logger		3340				
Bottom Logged Interval		3339				
Top Log Interval		2500				
Casing Driller		8.625 @ 293				
Casing Logger		293				
Bit Size		7.875				
Type Fluid in Hole		Chemical				
Salinity, ppm CL		5.300				
Density / Viscosity		9.4 60				
pH / Fluid Loss		10.0 8.6				
Source of Sample		Flowline				
Rm @ Meas. Temp		.80 @ 65				
Rmf @ Meas. Temp		.60 @ 65				
Rmc @ Meas. Temp		1.08 @ 65				
Source of Rmf / Rmc		Charts				
Rm @ BHT		.47 @ 111				
Operating Rig Time		3 1/2 Hours				
Max Rec. Temp. F		111				
Equipment Number		007				
Location		Hays				
Recorded By		K. Bange				
Witnessed By		Josh Austin				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments



Thank you for using Log-Tech, Inc.
(785) 625-3858


Claflin, 1 E, 3 S, 1/8 W, N into

Database File: c:\warrior\data\credo_diane nemnich no. 1-1\credohd.db
Dataset Pathname: dil/credo2in
Presentation Format: micro
Dataset Creation: Wed May 19 00:37:11 2010
Charted by: Depth in Feet scaled 1:240

Charted by: Depth in Feet scaled 1:2.15					
0	Gamma Ray	150	0	Micro Inverse 1 X 1	40
6	Micro Log Caliper (GAPI)	16	0	Micro Normal 2"	40
-200	SP (mV)	0	15000	Line Weight	0
				LSPD	








2950

3000

3050

3100





-29

-29

-29

-29



6	Micro Log Caliper (GAPI)	16
-200	SP (mV)	0

0	Micro Normal 2"	40
15000	Line Weight	0
		LSPD