



Dual Induction Log

DIGITAL LOG (785) 625-3858

API No.	Company Vess Oil Corporation		
	Well Wilson A 439		
	Field El Dorado		
	County Butler	State	Kansas
15-015-23,852-00-00	Location	2740' FNL & 2160' FWL	
	Sec: 9	Twp: 25S	Rge: 5 E
Permanent Datum	Ground Level	Elevation 1362	Other Services
Log Measured From	Kelly Bushing	9 Ft. Above Perm. Datum	CNL/CDL
Drilling Measured From	Kelly Bushing		MEL
Date	04/09/2010		Elevation
Run Number	One		K.B. 1371
Depth Driller	2460		D.F. 1362
Depth Logger	2458		
Bottom Logged Interval	2457		
Top Log Interval	00		
Casing Driller	8.625 @ 261		
Casing Logger	258		
Bit Size	7.875		
Type Fluid in Hole	Chemical		
Salinity, ppm CL	1.100		
Density / Viscosity	9.4 48		
pH / Fluid Loss	8.0 9.2		
Source of Sample	Flowline		
Rm @ Meas. Temp	2.0 @ 60		
Rmf @ Meas. Temp	1.50 @ 60		
Rmc @ Meas. Temp	2.70 @ 60		
Source of Rmf / Rmc	Charts		
Rm @ BHT	1.17 @ 103		
Operating Rig Time	4 Hours		
Max Rec. Temp. F	103		
Equipment Number	17		
Location	Hays		
Recorded By	Mike Garrison		
Witnessed By	Rodger Martin		

<<< Fold Here >>>



All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.



Comments




Thank you for using Log-Tech, Inc.
(785) 625-3858


Potwin, East to Radio Tower, 1 South to 40th Ave, 1.5 East, North Into

Database File: c:\warrior\data\vess_wilson a 439\vess.db
Dataset Pathname: dil\vessdil
Presentation Format: dil2in
Dataset Creation: Fri Apr 09 06:23:54 2010
Charted by: Depth in Feet scaled 1:600










Database File: c:\warrior\data\vess_wilson a 439\vess.db			
Dataset Pathname: dil\vessdil			
Presentation Format: dil			
Dataset Creation: Fri Apr 09 06:23:54 2010			
Charted by: Depth in Feet scaled 1:240			
0	Gamma Ray	150	
-200	SP (mV)	0	
-160	Rxo / Rt	40	
0.2	Deep Resistivity	2000	
0.2	Medium Resistivity	2000	
0.2	Shallow Resistivity	2000	
15000	Line Tension	0	
			LSPD




0

50

100

150

200




-2

-43

-43

-43

-43




250

300

350

400




-43

-43

-43

-43




450

500

550

600

650




-43

-44

-43

-43

-43




700

750

800

850




-42

-42

-42

-42




900

950

1000

1050




-42

-42

-42

-42




1100

1150

1200

1250

1300




-42

-42

-42

-42

-41




1350

1400

1450

1500




-41

-41

-41

-41




1550

1600

1650

1700

1750




-41

-41

-41

-41

-41




1800

1850

1900

1950




-40

-41

-40

-40




2000

2050

2100

2150




-40

-40

-40

-40




2200

2250

2300

2350

2400




-40

-40


-39

-35

-35



2450



-34

LSPD