



SUPERIOR
Hays,
Kansas

MICRO
LOG

Company BAIRD OIL COMPANY, LLC.
Well ADEE #3-14
Field WILDCAT
County NORTON
State KANSAS

Company BAIRD OIL COMPANY, LLC.
Well ADEE #3-14
Field WILDCAT
County NORTON State KANSAS

Location: 2240' FNL & 810' FEL
API #: 15-137-20506-0000
Other Services RAG/SP
Elevation
Permanent Datum GROUND LEVEL Elevation 2119
Log Measured From KELLY BUSHING 5' A.G.L.
Drilling Measured From KELLY BUSHING

Date	6/22/09
Run Number	TWO
Depth Driller	3628
Depth Logger	3628
Bottom Logged Interval	3626
Top Log Interval	2950
Casing Driller	8 5/8" @ 220'
Casing Logger	220
Bit Size	7 7/8
Type Fluid In Hole	CHEMICAL MUD
Density / Viscosity	9.1/48
pH / Fluid Loss	11.0/6.4
Source of Sample	FLOWLINE
Rm @ Meas. Temp	1.00 @ 90F
Rmf @ Meas. Temp	.750 @ 90F
Rmc @ Meas. Temp	1.20 @ 90F
Source of Rmf / Rmc	MEASUREMENT
Rm @ BHT	.796 @ 113F
Time Circulation Stopped	3 HOURS
Time Logger on Bottom	9:00 A.M.
Maximum Recorded Temperature	113F
Equipment Number	0836
Location	HAYS, KANSAS
Recorded By	JEFF LUEBBERS
Witnessed By	RICHARD BELL

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING SUPERIOR WELL SERVICE HAYS, KANSAS (785) 628-6395
DIRECTIONS
LOGAN, KS. 5W. TO RD. E12, 3 1/2 N., E. INTO





SUPERIOR
Hays,
Kansas


MAIN SECTION


Database File: 003526rag.db
 Dataset Pathname: pass7.3
 Presentation Format: micro
 Dataset Creation: Tue Jun 23 10:59:23 2009 by Calc Open-Cased 060407
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3) 0	0	MEL2.0 (Ohm-m)	40
			TBHV			
			0 (ft3) 10			











SUPERIOR
Hays,
Kansas


REPEAT SECTION

Database File: 003526rag.db
 Dataset Pathname: pass6.6
 Presentation Format: micro
 Dataset Creation: Tue Jun 23 10:41:01 2009 by Calc Open-Cased 060407
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3) 0	0	MEL2.0 (Ohm-m)	40
			TBHV			
			0 (ft3) 10			







Calibration Report

Database File: 003526rag.db
 Dataset Pathname: pass7.3
 Dataset Creation: Tue Jun 23 10:59:23 2009 by Calc Open-Cased 060407

MICRO Calibration Report

Serial Number:	2	
Tool Model:	PROBE	
Performed:	Tue Jun 23 10:45:30 2009	
Caliper Calibration:	Gain=5.818	Offset=0.745
References	Low Cal	High Cal
Readings	6.500	14.000
	0.989	2.278
1.5" Calibration:	Gain=31.000	Offset=-2.200
References	Low Cal	High Cal
Readings	0.000	20.000
	0.060	1.186
2" Calibration:	Gain=38.000	Offset=-1.300
References	Low Cal	High Cal
Readings	0.000	20.000
	0.011	0.926

Gamma Ray Calibration Report

Serial Number:	GR4	
Tool Model:	OPEN	
Performed:	Tue Jun 23 10:35:52 2009	
Calibrator Value:	200.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	189.0	cps
Sensitivity:	1.1000	GAPI/cps