



Borehole Compensated Sonic Log

DIGITAL LOG (785) 625-3858

API No.

15-193-20,764-00-00

Company Murfin Drilling Company, Inc.

Well James ' A ' No. 2-22

Field Wildcat

County Thomas

State Kansas

Location

1000' FNL & 1350' FWL

Other Services
CNL/CDL
MEL/DIL

Sec: 22

Twp: 10S

Rge: 34W

Elevation

Permanent Datum

Ground Level

Elevation 3219

Log Measured From

Kelly Bushing

5 Ft. Above Perm. Datum

K.B. 3224
D.F.
G.L. 3219

Drilling Measured From

Kelly Bushing

Elevation

K.B. 3224
D.F.
G.L. 3219

Date

06/01/2009

Run Number

Two

Type Log

BHC Sonic

Depth Driller

4840

Depth Logger

4842

Bottom Logged Interval

4831

Top Logged Interval

250

Type Fluid In Hole

Chemical

Salinity, PPM CL

9,900

Density

9.3

Level

Full

Max. Rec. Temp. F

126

Operating Rig Time

5 Hours

Equipment -- Location

10 Hays

Recorded By

Jason Wellbrock

Witnessed By

Rocky Milford

Borehole Record

Casing Record

Run No

Bit

From

To

Size

Wgt.

From

To

1

12.25

00

256

8.625

24#

00

256

2

7.875

256

4820

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Highway 25 and 40 West of Monument, 5 N, to rd D, 2 3/4 W, S Into

Database File: c:\warrior\data\murfin_james ' a ' no. 2-22\murfhd.db
Dataset Pathname: dil\murf2in
Presentation Format: sonic
Dataset Creation: Mon Jun 01 03:55:20 2009
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150	Sonic Int	140	Delta Time (usec/ft) (usec/ft)	40
150	Gamma Ray	300	5 (msec)	0	SPOR (pu)	-10
6	Caliper (in)	16		10000	LTEN (lb) (lb)	0
						LSPD (ft/min)









































