



SUPERIOR
Hays,
Kansas

SONIC
LOG

Company	VINCENT OIL CORPORATION		
Well	SANDYLAND #1-27		
Field	WILDCAT		
County	FORD	State	KANSAS
Location:	API # : 15-057-20631		Other Services CDL/CNL/PE MICRO/DIL
1980' FSL & 1230' FWL			
SEC 27 TWP 28S RGE 23W			
Permanent Datum	GROUND LEVEL	Elevation	2517
Log Measured From	KELLY BUSHING 12' A.G.L.	D.F.	G.L. 2517
Drilling Measured From	KELLY BUSHING		

Date	4-5-09		
Run Number	TWO		
Depth Driller	5680		
Depth Logger	5679		
Bottom Logged Interval	5672		
Top Log Interval	640		
Casing Driller	647		
Casing Logger	647		
Bit Size	7.875		
Type Fluid in Hole	CHEMICAL MUD		
Density / Viscosity	9.4 / 51		
pH / Fluid Loss	10.0 / 9.6		
Source of Sample	FLOWLINE		
Rim @ Meas. Temp	0.48 @ 78F		
Rinf @ Meas. Temp	0.36 @ 78F		
Rmc @ Meas. Temp	0.58 @ 78F		
Source of Rinf / Rmc	MEASURED		
Rim @ BHT	.290 @ 131F		
Time Circulation Stopped	3 HOURS		
Time Logger on Bottom			
Maximum Recorded Temperature	131F		
Equipment Number	0860		
Location	HAYS, KS.		
Recorded By	RUPP		
Witnessed By	KEN LeBLANC		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

SUPERIOR WELL SERVICES
785-628-6395
THANK YOU FOR YOUR BUSINESS
DIRECTIONS: KINGSDOWN, EAST SIDE TO RD. #125, 2N TO WILBURN RD., 4W TO RD. #121, 1N, E INTO





SUPERIOR
Hays,
Kansas


MAIN SECTION


Database File: 003241pdn.db
Dataset Pathname: pass5.B
Presentation Format: slt
Dataset Creation: Sun Apr 05 23:00:11 2009
Charted by: Depth in Feet scaled 1:240


0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
			TBHV	0	ITT (msec)	20
			0 (ft3) 10			








































































SUPERIOR
Hays,
Kansas

REPEAT SECTION

Database File: 003241pdn.db
 Dataset Pathname: pass4.1A
 Presentation Format: slt
 Dataset Creation: Sun Apr 05 19:52:31 2009 by Calc Open-Cased 051020
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
			TBHV	0	ITT (msec)	20
			0 (ft3) 10			





Calibration Report

Database File: 003241pdn.db
Dataset Pathname: pass5.B
Dataset Creation: Sun Apr 05 23:00:11 2009

MICRO Calibration Report

Serial Number: Micro1
Tool Model: ProbeL
Performed: Sun Apr 05 19:44:48 2009

Caliper Calibration: Gain=3.106 Offset=-1.233

	Low Cal	High Cal
References	7.700	14.000
Readings	2.876	4.905

1.5" Calibration: Gain=64.000 Offset=-0.500

	Low Cal	High Cal
References	0.000	20.000
Readings	0.004	0.828

2" Calibration: Gain=35.000 Offset=0.200

	Low Cal	High Cal
References	0.000	20.000
Readings	0.021	0.816

Gamma Ray Calibration Report

Serial Number: GR5
Tool Model: OPEN
Performed: Sun Apr 05 15:15:48 2009

Calibrator Value: 1.0 GAPI

Background Reading:	0.0	cps
Calibrator Reading:	1.0	cps

Sensitivity: 0.5000 GAPI/cps