



Dual Compensated Porosity Log

DIGITAL LOG (785) 625-3858

API No. 15-101-22,226-00-00

Company Larson Engineering, Inc.
Well Joyce No. 1-17
Field Hiney
County Lane
Location 273' FNL & 2000' FWL
State Kansas

Sec: 17 Twp: 19 S Rge: 28 W

Other Services
DIL
MEL

Permanent Datum Ground Level Elevation 2777
Log Measured From Kelly Bushing 7 Ft. Above Perm. Datum
Drilling Measured From Kelly Bushing

K.B. 2784
D.F. G.L. 2777

Date 5/13/2010

Run Number One

Type Log CNL / CDL

Depth Driller 4670

Depth Logger 4668

Bottom Logged Interval 4647

Top Logged Interval 3600

Type Fluid In Hole Chemical

Salinity, PPM CL 2,500

Density 9.2

Level Full

Max. Rec. Temp. F 125

Operating Rig Time 4 Hours

Equipment -- Location 007 Hays

Recorded By K. Bange

Witnessed By Bob Lewellyn

Borehole Record				Casing Record			
Run No.	Bit	From	To	Size	Wgt.	From	To
1	12.25	00	261	8.625	24#	00	261
2	7.875	261	4670				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Dighton, 3 S to 120 rd, 1 E, 3 S, E into

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
			Correction
			0.25
LSPD			















