



Dual Compensated
Porosity Log

DIGITAL LOG (785) 625-3858

API No. 15-093-21,855-00-00

Company Lebsack Oil Production
Well Van Doren No. 14-4
Field Christabelle
County Kearny State Kansas

Location 1320' FSL & 500' FEL

Sec: 14 Twp: 21 S Rge: 35 W

Other Services
DIL
MEL

Permanent Datum Ground Level Elevation 3088
Log Measured From Kelly Bushing 12 Ft. Above Perm. Datum
Drilling Measured From Kelly Bushing

K.B. 3100
D.F.
G.L. 3088

Date 04/11/2010

Run Number One

Type Log CNL / CDL

Depth Driller 5000

Depth Logger 5004

Bottom Logged Interval 4983

Top Logged Interval 2600

Type Fluid In Hole Chemical

Salinity, PPM CL 3,300

Density 9.2

Level Full

Max. Rec. Temp. F 128

Operating Rig Time 4 Hours

Equipment -- Location 17 Hays

Recorded By Mike Garrison

Witnessed By Wayne Lebsack

Borehole Record				Casing Record			
Run No.	Bit	From	To	Size	Wgt.	From	To
1	12.25	00	431	8.625	24#	00	431
2	7.875	431	5000				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Scott City, South to the county Line, 11 West, 2 South, 1/4 South, East Into


0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
			Correction
			0.25
LSPD			



0	Gamma Ray	150
6	Caliper (GAPI)	16


30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
			Correction
			0.25
LSPD			





Database File: c:\warrior\data\lebsack_van doren no. 14-4\lebsack.db
 Dataset Pathname: dil/lebstck
 Presentation Format: cdl
 Dataset Creation: Sun Apr 11 20:24:20 2010
 Charted by: Depth in Feet scaled 1:600

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
			Correction
			0.25
LSPD			













Database File: c:\warrior\data\lebsack_van doren no. 14-4\lebsack.db
 Dataset Pathname: dil/lebsack
 Presentation Format: cndlspec
 Dataset Creation: Sun Apr 11 20:24:20 2010
 Charted by: Depth in Feet scaled 1:240


0	Gamma Ray	150	30	Compensated Neutron (Limestone)		-10	
6	Caliper (GAPI)	16	30	Compensated Density (2.71 ma)		-10	
		2.625	DGA	3.425	-0.25	Correction	0.25
		15000	Line Tension				0
							LSPD

















LSPD