



# Dual Compensated Porosity Log

DIGITAL LOG (785) 625-3858

|                        |                       |                                     |  |
|------------------------|-----------------------|-------------------------------------|--|
| API No.                | 15-163-23,817-00-00   |                                     |  |
| Company                | John O. Farmer, Inc.  |                                     |  |
| Well                   | Vohs C #1             |                                     |  |
| Field                  | Wildcat               |                                     |  |
| County                 | Rooks                 |                                     |  |
| Location               | 1650' FNL & 1860' FWL |                                     |  |
| State                  | Kansas                |                                     |  |
| Sec: 19                | Twp: 10S              | Rge: 19W                            |  |
| Permanent Datum        | Ground Level          | Elevation 2066                      |  |
| Log Measured From      | Kelly Bushing         | 5 Ft. Above Perm. Datum             |  |
| Drilling Measured From | Kelly Bushing         | K.B. 2071<br>D.F. 2066<br>G.L. 2066 |  |
| Other Services         | DIL / MEL             |                                     |  |

|                        |               |      |     |
|------------------------|---------------|------|-----|
| Date                   | 8/18/2009     |      |     |
| Run Number             | One           |      |     |
| Type Log               | CNL / CDL     |      |     |
| Depth Driller          | 3725          |      |     |
| Depth Logger           | 3725          |      |     |
| Bottom Logged Interval | 3704          |      |     |
| Top Logged Interval    | 3000          |      |     |
| Type Fluid In Hole     | Chemical      |      |     |
| Salinity, PPM CL       | 4,000         |      |     |
| Density                | 9.2           |      |     |
| Level                  | Full          |      |     |
| Max. Rec. Temp. F      | 115           |      |     |
| Operating Rig Time     | 4 Hours       |      |     |
| Equipment -- Location  | 10 Hays       |      |     |
| Recorded By            | C. McLaughlin |      |     |
| Witnessed By           | Steven Murphy |      |     |
| Borehole Record        |               |      |     |
| Run No                 | Bit           | From | To  |
| One                    | 12.25         | 00   | 219 |
| Two                    | 7.875         | 219  | TD  |
| Casing Record          |               |      |     |
|                        | Size          | Wgt. | To  |
|                        | 8.625         | 23#  | 219 |

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.  
(785) 625-3858

N of Hays to Co. line, 2N to CC Rd, 3.5W to 14 Rd  
1N, W into

Database File: farmrhd.db  
 Dataset Pathname: dil/frmdet  
 Presentation Format: cdl  
 Dataset Creation: Tue Aug 18 17:29:18 2009  
 Charted by: Depth in Feet scaled 1:600

|   |                |     |
|---|----------------|-----|
| 0 | Gamma Ray      | 150 |
| 6 | Caliper (GAPI) | 16  |

|            |                     |       |       |
|------------|---------------------|-------|-------|
| 30         | Compensated Density |       | -10   |
| 2          | Bulk Density        |       | 3     |
| 15000      | Line Tension        |       | 0     |
| 2.625      | DGA                 | 3.425 | -0.25 |
| Correction |                     |       | 0.25  |
| LSPD       |                     |       |       |











