



SUPERIOR
Hays,
Kansas

MICRO
LOG

Company VINCENT OIL CORPORATION
Well PERKINS #1-33
Field WILDCAT
County FORD
State KANSAS

Company VINCENT OIL CORPORATION
Well PERKINS #1-33
Field WILDCAT
County FORD State KANSAS

Location: API # : 15-057-20635-0000
410' FNL & 700' FEL
SEC 33 TWP 28S RGE 23W
Permanent Datum GROUND LEVEL Elevation 2514
Log Measured From KELLY BUSHING 12' A.G.L.
Drilling Measured From KELLY BUSHING
Other Services
CDL/CNL/PE
DIL/SONIC
Elevation
K.B. 2526
D.F. 2524
G.L. 2514

Date	6/16/09		
Run Number	TWO		
Depth Driller	5370		
Depth Logger	5373		
Bottom Logged Interval	5350		
Top Log Interval	4200		
Casing Driller	8 5/8"@568'		
Casing Logger	570		
Bit Size	7 7/8		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 13,500PPM	
Density / Viscosity	9.1/51		
pH / Fluid Loss	10.0/11.2		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	1.2@79F		
Rmf @ Meas. Temp	.900@79F		
Rmc @ Meas. Temp	1.44@79F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	.741@128F		
Time Circulation Stopped	8.5 HOURS		
Time Logger on Bottom	9:15 A.M.		
Maximum Recorded Temperature	128F		
Equipment Number	0836		
Location	HAYS, KANSAS		
Recorded By	JEFF LUEBBERS		
Witnessed By	KEN LEBLANC		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING SUPERIOR WELL SERVICE HAYS, KANSAS (785) 628-6395
DIRECTIONS
(KINGSDOWN, KS. & HWY 54) 2N. TO WILBURN RD., 4W. TO RD. #121, 1 1/2N., W. INTO





SUPERIOR
Hays,
Kansas


MAIN SECTION


Database File: 003275pe.db
Dataset Pathname: pass6.2
Presentation Format: micro
Dataset Creation: Tue Jun 16 12:51:43 2009 by Calc Open-Cased 060407
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	20
6	CALIPER (in)	16	10 (ft3) 0	0	MEL2.0 (Ohm-m)	20
			TBHV			
			0 (ft3) 10			











4850


4900

4950

5000









SUPERIOR
Hays,
Kansas

REPEAT SECTION

Database File: 003275pe.db
 Dataset Pathname: pass5.5
 Presentation Format: micro
 Dataset Creation: Tue Jun 16 12:57:12 2009 by Calc Open-Cased 060407
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	20
6	CALIPER (in)	16	10 (ft3) 0	0	MEL2.0 (Ohm-m)	20
			TBHV			
			0 (ft3) 10			







5050

5100

5150

5200





Calibration Report

Database File: 003275pe.db
Dataset Pathname: pass6.2
Dataset Creation: Tue Jun 16 12:51:43 2009 by Calc Open-Cased 060407

MICRO Calibration Report

Serial Number: MICRO5
Tool Model: PROBE
Performed: Tue Jun 16 12:10:37 2009

Caliper Calibration: Gain=3.714 Offset=-6.247

References	Low Cal	High Cal
Readings	6.500	15.000
	3.433	5.721
1.5" Calibration:	Gain=35.000	Offset=-1.000
References	Low Cal	High Cal
Readings	0.000	20.000
	0.025	0.991
2" Calibration:	Gain=40.000	Offset=-0.900
References	Low Cal	High Cal
Readings	0.000	20.000
	0.018	0.809
Gamma Ray Calibration Report		
Serial Number:	GR3	
Tool Model:	OPEN	
Performed:	Tue Jun 16 12:10:42 2009	
Calibrator Value:	200.0	GAPI
Background Reading:	3.0	cps
Calibrator Reading:	186.0	cps
Sensitivity:	0.8000	GAPI/cps