



SUPERIOR
Hays,
Kansas

MICRO LOG

Company	VINCENT OIL CORPORATION		
Well	DROSTE #1-21		
Field	WILDCAT		
County	FORD	State	KANSAS
Location:	API # : 15-057-20632 2260' FNL & 330' FEL		Other Services CDL/CNL/PE DIL/SONIC
SEC 21 TWP 28S RGE 23W		Elevation	
Permanent Datum	GROUND LEVEL	Elevation	2436
Log Measured From	KELLY BUSHING 12' A.G.L.		
Drilling Measured From	KELLY BUSHING		
Date	6-2-09		
Run Number	TWO		
Depth Driller	5480		
Depth Logger	5478		
Bottom Logged Interval	5462		
Top Log Interval	4100	3100 - 2800	
Casing Driller	526		
Casing Logger	NA		
Bit Size	7.875		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES: 14,800ppm	
Density / Viscosity	9.7 / 54		
pH / Fluid Loss	9.5 / 17.2		
Source of Sample	FLOWLINE		
Rim @ Meas. Temp	0.42 @ 78F		
Rinf @ Meas. Temp	0.32 @ 78F		
Rmc @ Meas. Temp	0.50 @ 78F		
Source of Rinf / Rmc	MEASURED		
Rim @ BHT	.250 @ 129F		
Time Circulation Stopped	3 HOURS		
Time Logger on Bottom			
Maximum Recorded Temperature	129F		
Equipment Number	860		
Location	HAYS, KS.		
Recorded By	RUPP		
Witnessed By	KEN LeBLANC		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

SUPERIOR WELL SERVICES
785-628-6395
THANK YOU FOR YOUR BUSINESS
DIRECTIONS: KINGSTOWN, EAST SIDE, 2N TO WILBORN RD., W TO #121 RD., 1 1/2N, W INTO.





SUPERIOR
Hays,
Kansas

MAIN SECTION

Database File: 003455pdn.db
Dataset Pathname: pass5.1
Presentation Format: micro
Dataset Creation: Tue Jun 02 23:20:40 2009 by Calc Open-Cased 051020
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	20
6	CALIPER (in)	16	10 (ft3) 0	0	MEL2.0 (Ohm-m)	20
			TBHV			
			0 (ft3) 10			








SUPERIOR
WELL SERVICES

SUPERIOR
Hays,
Kansas

MAIN SECTION

Database File: 003455pdn.db
 Dataset Pathname: pass5.1
 Presentation Format: micro
 Dataset Creation: Tue Jun 02 23:20:40 2009 by Calc Open-Cased 051020
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	20
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	20
			TBHV			
			0 (ft3)	10		




4100


4150

4200

4250

4300







4350


4400

4450

4500









4800

4850

4900

4950






5000


5050


5100

5150

5200









SUPERIOR
Hays,
Kansas

REPEAT SECTION

Database File: 003455pdn.db
 Dataset Pathname: pass4.1
 Presentation Format: micro
 Dataset Creation: Tue Jun 02 22:09:16 2009 by Calc Open-Cased 051020
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	20
6	CALIPER (in)	16	10 (ft3) 0	0	MEL2.0 (Ohm-m)	20
			TBHV			
			0 (ft3) 10			





Calibration Report

Database File: 003455pdn.db
Dataset Pathname: pass5.1
Dataset Creation: Tue Jun 02 23:20:40 2009 by Calc Open-Cased 051020

MICRO Calibration Report		
Serial Number: Tool Model: Performed:	Micro1 ProbeL Tue Jun 02 22:08:33 2009	
Caliper Calibration:	Gain=3.155	Offset=-1.475
References	Low Cal	High Cal
Readings	7.600	14.000
	2.876	4.905
1.5" Calibration:	Gain=45.000	Offset=1.000
References	Low Cal	High Cal
Readings	0.000	20.000
	0.004	0.828
2" Calibration:	Gain=35.000	Offset=0.800
References	Low Cal	High Cal
Readings	0.000	20.000
	0.021	0.816
Gamma Ray Calibration Report		
Serial Number: Tool Model: Performed:	GR5 OPEN Tue Jun 02 21:16:27 2009	
Calibrator Value:	1.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	1.0	cps
Sensitivity:	0.5000	GAPI/cps