



Dual Compensated Porosity Log

DIGITAL LOG (785) 625-3858

API No.

15-023-21,212-00-00

Company Murfin Drilling Company, Inc

Well Myers Unit No. 2 - 30

Field Wildcat

County Cheyenne State Kansas

Location

NW - NW - SE - SW
1100' FSL & 1500' FWL

Other Services
DIL
MEL/BHCS

Sec: 30

Twp: 2 S

Rge: 41 W

Permanent Datum Ground Level Elevation 3706

Log Measured From Kelly Bushing 5 Ft. Above Perm. Datum

K.B. 3711
D.F.
G.L. 3706

Date 4/22/2009

Run Number One

Type Log CNL / CDL

Depth Driller 5130

Depth Logger 5134

Bottom Logged Interval 5113

Top Logged Interval 4200

Type Fluid In Hole Chemical

Salinity, PPM CL 600

Density 9.2

Level Full

Max. Rec. Temp. F 127

Operating Rig Time 5 Hours

Equipment -- Location 15 Hays

Recorded By B. Becker

Witnessed By Paul Gunzelman

Borehole Record

Run No Bit From To Size Wgt. To

1 12.25 00 429 8.625 24# 429

2 7.875 429 5130

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858

St. Francis, Ks; 2 West; 10-1/2 North;
West and 1/2 South from 2nd curve;
3 West; North into location

Database File: c:\warrior\data\murfin_myers unit no. 2 - 30\murfin2hd.db
Dataset Pathname: Wildcat/Myers2/DIL/murfstk
Presentation Format: cdl
Dataset Creation: Wed Apr 22 15:42:13 2009
Charted by: Depth in Feet scaled 1:600

0	Gamma Ray	150	30	Compensated Density (pu)		-10
6	Caliper (in)	16	2	Bulk Density (g/cc)		3
			15000	Line Tension (lb)		0
				-0.25	Correction (g/cc)	0.25
					LSPD	
					(ft/min)	





Database File: c:\warrior\data\murfin_myers unit no. 2 - 30\murfin2hd.db
Dataset Pathname: Wildcat/Myers2/DIL/murfstk
Presentation Format: cndlspec
Dataset Creation: Wed Apr 22 15:42:13 2009
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150	30	Compensated Neutron (Limestone) (pu)	-10
6	Caliper (in)	16	30	Compensated Density (2.71 ma) (pu)	-10
			15000	Line Tension (lb)	0
			-0.25	Correction (g/cc)	0.25
			LSPD (ft/min)		

