



**Borehole Compensated
Sonic Log**

DIGITAL LOG (785) 625-3858

API No.	15-033-21,586-00-00		
Company	F.G. Holl Company, LLC.		
Well	Box Ranch Unit "A" No. 1-12		
Field	Wildcat		
County	Comanche	State	Kansas
Location	60' N, 60' W of SE SW NW		
Sec:	12	Twp:	35 S
		Rge:	20 W
Permanent Datum	Ground Level	Elevation	1699
Log Measured From	Kelly Bushing		13 Ft. Above Perm. Datum
Drilling Measured From	Kelly Bushing		
Date	8/8/2011	Other Services	
Run Number	Two	CNL/CDL	
Type Log	BHC Sonic	MEL/DIL	
Depth Driller	6750		
Depth Logger	6755		
Bottom Logged Interval	6744		
Top Logged Interval	850		
Type Fluid In Hole	Chemical		
Salinity, PPM CL	5,000		
Density	9.0		
Level	Full		
Max. Rec. Temp. F	146		
Operating Rig Time	7 Hours		
Equipment -- Location	91 Hays		
Recorded By	K. Bange		
Witnessed By	Rene Husted		

Borehole Record				Casing Record			
Run No.	Bit	From	To	Size	Wgt.	From	To
1	12.25	00	859	8.625	24#	00	859
2	7.875	859	6750				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Protectiohn, 11 S (road curves west) S into at Box Ranch sign,
Stay right on lease rd.

Database File: c:\warrior\data\fg holl_box ranch unit a no. 1-12\fg_holl080811hd.db
 Dataset Pathname: dil/fgstack
 Presentation Format: sonic
 Dataset Creation: Mon Aug 08 12:49:02 2011
 Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150	Sonic Int	140	Delta Time (usec/ft)	40
150	Gamma Ray	300	5	0	SPOR	-10
6	Caliper (GAPI)	16		15000	LTEN (lb)	0

LSPD























































