



**Borehole Compensated
Sonic Log**

DIGITAL LOG (785) 625-3858

API No. 15-083-21,603-00-00	Company American Warrior, Inc.	Location 1420' FNL & 2295' FEL	Other Services CNL / CDL MEL/DIL
Well Wright J No. 5-26	County Hodgeman		
Field Stairrett	State Kansas		
Sec: 26	Twp: 21S	Rge: 25W	Elevation K.B. 2433 D.F. 2422 G.L. 2422
Permanent Datum Log Measured From Drilling Measured From	Ground Level Kelly Bushing Kelly Bushing	Elevation 2422 11 Ft. Above Perm. Datum	

Date	08/06/2009						
Run Number	Two						
Type Log	BHC Sonic						
Depth Driller	5300						
Depth Logger	5302						
Bottom Logged Interval	5291						
Top Logged Interval	200						
Type Fluid In Hole	Chemical						
Salinity, PPM CL	6,800						
Density	9.5						
Level	Full						
Max. Rec. Temp. F	131						
Operating Rig Time	4 1/2 Hours						
Equipment -- Location	17 Hays						
Recorded By	Mike Garrison						
Witnessed By	Jason Alm						
Borehole Record							
Run No	Bit	From	To	Size	Wgt.	From	To
One	12.25	00	227	8.625	23#	00	227
Two	7.875	227	TD				
Casing Record							

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
 (785) 625-3858

 Ness City, South to Hodgeman/Ness County Line, 1 South to X Rd., 8 West to 210 Rd,
 3 1/2 South, East Into

Database File:	awar5-26hd.db
Dataset Pathname:	dil/awarstck
Presentation Format:	sonic
Dataset Creation:	Fri Aug 07 00:01:50 2009
Charted by:	Depth in Feet scaled 1:240

0	Gamma Ray	150	Sonic Int	140	Delta Time (usec/ft)	40
150	Gamma Ray	300	5	0	Sonic Porosity (Limestone)	-10
6	Caliper (GAPI)	16		10000	LTEN (lb)	0

LSPD















































