

LOG-TECH



Microresistivity Log

DIGITAL LOG

(785) 625-3858

API No.

15-083-21,603-00-00

Company **American Warrior, Inc.**

Well **Wright J No. 5-26**

Field **Stairrett**

County **Hodgeman** State

Kansas

Location **1420' FNL & 2295' FEL**

Sec: **26** Twp: **21S** Rge: **25W**

Permanent Datum **Ground Level** Elevation **2422**

Log Measured From **Kelly Bushing** 11 Ft. Above Perm. Datum

Drilling Measured From **Kelly Bushing**

Other Services
CNL/CDL
DIL/BHCS
Elevation
K.B. 2433
D.F. 2422
G.L. 2422

Date **08/06/2009**

Run Number **Two**

Depth Driller **5300**

Depth Logger **5302**

Bottom Logged Interval **5301**

Top Log Interval **200**

Casing Driller **8,625 @ 227**

Casing Logger **4350**

Bit Size **7.875**

Type Fluid in Hole **Chemical**

Salinity, ppm CL **6,800**

Density / Viscosity **9.5 50**

pH / Fluid Loss **8.5 10.4**

Source of Sample **Flowline**

Rm @ Meas. Temp **1.4 @ 76**

Rmf @ Meas. Temp **1.05 @ 76**

Rmc @ Meas. Temp **1.89 @ 76**

Source of Rmf / Rmc **Charts**

Rm @ BHT **.81 @ 131**

Operating Rig Time **4 1/2 Hours**

Max Rec. Temp. F **131**

Equipment Number **17**

Location **Hays**

Recorded By **Mike Garrison**

Witnessed By **Jason Alm**

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858

Ness City, South to Hodgeman/Ness County Line, 1 South to X Rd., 8 West to 210 Rd,
3 1/2 South, East Into

Database File: awar5-26hd.db
Dataset Pathname: dil/awarstck
Presentation Format: micro
Dataset Creation: Fri Aug 07 00:01:50 2009
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150
6	Micro Log Caliper (GAPI)	16
2.875	mcal (GAPI)	7.875
-200	SP	0

0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
10000	Line Weight	0
		LSPD




4350

4400

4450

4500




-30

-30

-30

-32




4550

4600

4650

4700

4750




-32

-32

-32

-31

-31




4800

4850

4900

4950




-31

-26

-26

-26




5000

5050

5100

5150




-26

-26


-26

-26



0	Gamma Ray	150
6	Micro Log Caliper (GAPI)	16
2.875	mcal (GAPI)	7.875
-200	SP	0

5200
5250
5300



0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
10000	Line Weight	0
		LSPD