



Dual Compensated Porosity Log

DIGITAL LOG (785) 625-3858

API No.	API 15-083-21,602-00-00			
Company		American Warrior, Inc.		
Well		Cure No. 1-23		
Field		Wildcat		
County		Hodgeman		State
		Kansas		
Location		NE NE SW SW		
Sec: 23		Twp: 21S		Rge: 25W
		Other Services DIL MEL/BHCS		Elevation
Permanent Datum		Ground Level		Elevation 2443
Log Measured From		Kelly Bushing		11 Ft. Above Perm. Datum
Drilling Measured From		Kelly Bushing		K.B. 2454 D.F. 2443 G.L. 2443

Date			7/24/1009				
Run Number			One				
Type Log			CNL / CDL				
Depth Driller			4590				
Depth Logger			4592				
Bottom Logged Interval			4571				
Top Logged Interval			3700				
Type Fluid In Hole			Chemical				
Salinity, PPM CL			4000				
Density			9.5				
Level			Full				
Max. Rec. Temp. F			124				
Operating Rig Time			4 1/2 Hours				
Equipment -- Location			17 Hays				
Recorded By			J. Long				
Witnessed By			Jason Alm				
Borehole Record			Casing Record				
Run No	Bit	From	To	Size	Wgt.	From	To
1	12.25	00	223	8.625	24#	00	223
2	7.875	223	4590				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858


Ness City, South to County Line, 1 South to X Ave, 8 West to 210 Rd, 1 1/2 South, East Into

Database File: c:\warrior\data\amwar_cure no. 1-23\amwarhd.db
Dataset Pathname: dil/amwrstck
Presentation Format: cdl
Dataset Creation: Fri Jul 24 13:33:44 2009
Charted by: Depth in Feet scaled 1:600

0	Gamma Ray	150
6	Caliper (in)	16

30	Compensated Density (pu)				-10
2	Bulk Density (g/cc)				3
15000	Line Tension (lb)				0
2.625	DGA (g/cc)	3.425	-0.25	Correction (g/cc)	0.25
					LSPD (ft/min)





Database File: c:\warrior\data\amwar_cure no. 1-23\amwarhd.db
 Dataset Pathname: dil/amwrstck
 Presentation Format: cndlspec

0	Gamma Ray	150
6	Caliper (in)	16

30	Compensated Neutron (Limestone) (pu)				-10
30	Compensated Density (2.71 ma) (pu)				-10
2.625	DGA (g/cc)	3.425	-0.25	Correction (g/cc)	0.25
15000	Line Tension (lb)				0

LSPD
(ft/min)

