



SUPERIOR
Hays,
Kansas

SONIC LOG

Company	VINCENT OIL CORPORATION		
Well	LIX #1-4		
Field	WILDCAT		
County	FORD	State	KANSAS
Location:	API # : 15-057-20638-0000	Other Services CDL/CNL/PE DIL/MEL	
SEC 4 TWP 26S RGE 24W		Elevation	
Permanent Datum	GROUND LEVEL	Elevation	2536
Log Measured From	KELLY BUSHING 10' A.G.L.		
Drilling Measured From	KELLY BUSHING		
Date	7/15/09		
Run Number	TWO		
Depth Driller	5250		
Depth Logger	5249		
Bottom Logged Interval	5236		
Top Log Interval	200		
Casing Driller	8 5/8"@268'		
Casing Logger	268		
Bit Size	7 7/8		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 4.150 PPM	
Density / Viscosity	9.3/56		
pH / Fluid Loss	9.5/8.8		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	.800@99F		
Rmf @ Meas. Temp	.600@99F		
Rmc @ Meas. Temp	.960@99F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	.624@127F		
Time Circulation Stopped	5.5 HOURS		
Time Logger on Bottom	5:30 P.M.		
Maximum Recorded Temperature	127F		
Equipment Number	0836		
Location	HAYS, KANSAS		
Recorded By	JEFF LUEBBERS		
Witnessed By	JIM HALL		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING SUPERIOR WELL SERVICE HAYS, KANSAS (785) 628-6395
DIRECTIONS
HWY 50 & 283 JUNCTION (DODGE CITY, KS.) E. OF KOCH NITROGEN PLANT., 1N. ON HWY 283 TO
HORSESHOE RD., 2W., N. INTO





SUPERIOR
Hays,
Kansas


MAIN SECTION


Database File: 003541pe.db
Dataset Pathname: pass6.6
Presentation Format: slt
Dataset Creation: Wed Jul 15 22:42:05 2009
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
			TBHV	0	ITT (msec)	20
			0 (ft3) 10			











850


900

950

1000









1300


1350



1400


1450
















2400


2450


2500


2550




















3700


3750

3800

3850









4150


4200

4250

4300









4600

4650

4700

4750







4800


4850

4900

4950









SUPERIOR
Hays,
Kansas


REPEAT SECTION

Database File: 003541pe.db
 Dataset Pathname: pass5.3
 Presentation Format: slt
 Dataset Creation: Wed Jul 15 20:50:01 2009 by Calc Open-Cased 060407
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
			TBHV	0	ITT (msec)	20
			0 (ft3) 10			








0	GAMMA RAY (GAPI)	150
6	CALIPER (in)	16



5250	ABHV	10 (ft3)
0	TBHV	0



140	DELTA TIME (usec/ft)	40
30	SONIC POROSITY (pu)	-10
0	ITT (msec)	20