



Microresistivity Log

DIGITAL LOG (785) 625-3858

API No.	15-159-22,595-00-00		
Company	Lebsack Oil Production		
Well	Bensch No.1		
Field	Groves		
County	Rice	State	Kansas
Location	N/2 SE NE 1650' FNL & 660' FEL		Other Services CNL/CDL DIL
Sec: 33	Twp: 20S	Rge: 10W	Elevation K.B. 1730.5 D.F. 1717 G.L. 1717

Permanent Datum	Ground Level	Elevation 1717
Log Measured From	Kelly Bushing	13.5 Ft. Above Perm. Datum
Drilling Measured From	Kelly Bushing	

Date	7/30/2009	
Run Number	Two	
Depth Driller	3380	
Depth Logger	3377	
Bottom Logged Interval	3376	
Top Log Interval	1200	
Casing Driller	8.625 @ 271	
Casing Logger	255	
Bit Size	7.875	
Type Fluid in Hole	Chemical	
Salinity, ppm CL	3.300	
Density / Viscosity	9.0 61	
pH / Fluid Loss	11.5 8.0	
Source of Sample	Flowline	
Rm @ Meas. Temp	.8 @ 75	
Rmf @ Meas. Temp	.6 @ 75	
Rmc @ Meas. Temp	1.08 @ 75	
Source of Rmf / Rmc	Charts	
Rm @ BHT	.55 @ 110	
Operating Rig Time	3 1/2 Hours	
Max Rec. Temp. F	110	
Equipment Number	15	
Location	Hays	
Recorded By	C. Desaire	
Witnessed By	Wayne Lebsack	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858


Raymond, 1/2 S, 1/2 W, S Into

Database File: c:\warrior\data\lebsack_bensch no.1\lebsackhd.db
Dataset Pathname: dil\lbskstk
Presentation Format: micro
Dataset Creation: Thu Jul 30 14:15:02 2009
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150
6	Micro Log Caliper (in)	16
-200	SP (MV)	0

0	Micro Inverse 1 X 1 (Ohm-m)	40
0	Micro Normal 2" (Ohm-m)	40
10000	Line Weight (lb)	0

LSPD
(ft/min)




1300

1350

1400

1450





-34

-34

-34

-34



0	Gamma Ray	150
6	Micro Log Caliper (in)	16
-200	SP (MV)	0

0	Micro Inverse 1 X 1 (Ohm-m)	40
0	Micro Normal 2" (Ohm-m)	40
10000	Line Weight (lb)	0


LSPD
(ft/min)


Database File: c:\warrior\data\lebsack_bensch no.1\lebsackhd.db
Dataset Pathname: dil/lbskstk
Presentation Format: micro
Dataset Creation: Thu Jul 30 14:15:02 2009
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150
6	Micro Log Caliper (in)	16
-200	SP (MV)	0

0	Micro Inverse 1 X 1 (Ohm-m)	40
0	Micro Normal 2" (Ohm-m)	40
10000	Line Weight (lb)	0

LSPD
(ft/min)






3050

3100

3150

3200

3250





-30

-30

-29

-28

-28



LSPD
(ft/min)