



**SUPERIOR
Hays,
Kansas**

**SONIC
LOG**

Company VINCENT OIL CORPORATION
Well FEIKERT FARMS #1-8
Field WILDCAT
County FORD State KANSAS

Location: API # : 15-057-20639-0000
2568' FSL & 2117' FEL
NE - NW - NW - SE
SEC 8 TWP 29S RGE 22W
Permanent Datum GROUND LEVEL Elevation 2523
Log Measured From KELLY BUSHING 10' A.G.L.
Drilling Measured From KELLY BUSHING
Other Services
CDL/CNL/PE
DIL/MEL
Elevation
K.B. 2533
D.F. 2531
G.L. 2323

Date	7/28/09		
Run Number	TWO		
Depth Driller	5580		
Depth Logger	5578		
Bottom Logged Interval	5568		
Top Log Interval	600		
Casing Driller	8 5/8" @ 613'		
Casing Logger	611'		
Bit Size	7 7/8		
Type Fluid in Hole	CHEMICAL MUD		
Density / Viscosity	9.2 / 47	CHLORIDES 10.000	
pH / Fluid Loss	10.5 / 11.2		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	0.35 @ 85F		
Rmf @ Meas. Temp	0.26 @ 85F		
Rmc @ Meas. Temp	0.42 @ 85F		
Source of Rmf / Rmc	CAL/CAL		
Rm @ BHT	0.23 @ 130F		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom			
Maximum Recorded Temperature	130F		
Equipment Number	680		
Location	HAYS, KS		
Recorded By	JEFF GRONEWEG		
Witnessed By	KEN LEBLANC		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING SUPERIOR WELL SERVICES
HAYS, KS. 785-628-6395


DIRECTIONS: KINGSDOWN, KS - EAST ON HWY 54 1 MILE TO RD 126
3/4 MILE NORTH - WEST INTO


Database File: 004084pe.db
Dataset Pathname: pass6
Presentation Format: _slt
Dataset Creation: Tue Jul 28 11:38:41 2009 by Log Open-Cased 090629


Charted by:


Depth in Feet scaled 1:240


0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
			TBHV	0	ITT (msec)	20
			0 (ft3) 10			






















2100



2150



2200


2250































4300


4350

4400

4450









4750


4800


4850

4900









0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
			TBHV	0	ITT (msec)	20
			0 (ft3) 10			



SUPERIOR
Hays,
Kansas

REPEAT SECTION

Database File: 004084pe.db
Dataset Pathname: pass5.3
Presentation Format: _slt
Dataset Creation: Tue Jul 28 11:52:36 2009 by Calc Open-Cased 090629
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
			TBHV	0	ITT (msec)	20
			0 (ft3) 10			

