



Dual Compensated
Porosity Log

DIGITAL LOG (785) 625-3858

API No. 15-101-22,310-00-00

Company Credo Petroleum Corporation
Well Marcelline No. 1-9
Field
County Lane State Kansas

Location 1420' FNL & 1980' FEL
Sec: 9 Twp: 17 S Rge: 29 W

Other Services
DIL
MEL/BHCS

Elevation
K.B. 2820
D.F. 2815
G.L. 2815

Permanent Datum Ground Level Elevation 2815
Log Measured From Kelly Bushing 5 Ft. Above Perm. Datum
Drilling Measured From Kelly Bushing

Date 9/15/2011

Run Number One
Type Log CNL / CDL
Depth Driller 4660
Depth Logger 4664
Bottom Logged Interval 4643
Top Logged Interval 3600
Type Fluid In Hole Chemical
Salinity, PPM CL 3400
Density 9.4
Level Full
Max. Rec. Temp. F 125
Operating Rig Time 5 1/2 Hours
Equipment -- Location 91 Hays
Recorded By D.Kerr
Witnessed By Bruce Ard

Borehole Record				Casing Record			
Run No	Bit	From	To	Size	Wgt.	From	To
One	12.25	00	260	8.625	23#	00	260
Two	7.875	260	TD				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Shields KS, West to HWY 4 and HWY 23,
2 South, 2 1/4 West, 1/2 South, East Into

Database File: credo_091511hd.db
Dataset Pathname: DIL/credstk
Presentation Format: cdl
Dataset Creation: Fri Sep 16 00:36:50 2011
Charted by: Depth in Feet scaled 1:600

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
Correction			0.25
LSPD			













