



Borehole Compensated Sonic Log

DIGITAL LOG (785) 625-3858

API No.

15-101-22,306-00-00

Company Credo Petroleum Corporation

Well Sandra No 1-3

Field Lohoff South

County Lane State Kansas

Location 990' FNL & 2100' FEL

Sec: 3 Twp: 17 S Rge: 29 W

Other Services
CNL/CDL
MEL/DIL

Permanent Datum Ground Level Elevation 2803

Log Measured From Kelly Bushing 5 Ft. Above Perm. Datum

K.B. 2808
D.F.
G.L. 2803

Date 9/2/2011

Run Number Two

Type Log BHC Sonic

Depth Driller 4650

Depth Logger 4651

Bottom Logged Interval 4640

Top Logged Interval 250

Type Fluid In Hole Chemical

Salinity, PPM CL 2500

Density 9.5

Level Full

Max. Rec. Temp. F 123

Operating Rig Time 5 1/2 Hours

Equipment -- Location 17 Hays

Recorded By D.Kerr

Witnessed By Bruce Ard

Borehole Record Casing Record

Run No Bit From To Size Wgt. From To

One 12.25 00 260 8.625 23# 00 260

Two 7.875 260 TD

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Shields KS, West to K 4 and K 23,
2 West, North Into

Database File: credo_sandra_1_3hd.db
Dataset Pathname: dil/credstk
Presentation Format: sonic
Dataset Creation: Fri Sep 02 20:26:03 2011
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150	Sonic Int	140	Delta Time (usec/ft)	40
150	Gamma Ray	300	5	0	Sonic Porosity	-10
6	dCAL (GAPI)	16		30	LTEN (lb)	0
				15000		
						LSPD









































