



Dual Compensated Porosity Log

DIGITAL LOG (785) 625-3858

API No.		Company Credo Petroleum Corporation					
15-101-22,306-00-00		Well Sandra No 1-3					
		Field Lohoff South					
		County Lane State Kansas					
Location		990' FNL & 2100' FEL		Other Services DIL MEL/BHCS			
Sec: 3 Twp: 17 S Rge: 29 W				Elevation			
Permanent Datum Ground Level Elevation 2803				K.B. 2808			
Log Measured From Kelly Bushing 5 Ft. Above Perm. Datum				D.F. 2803			
Drilling Measured From Kelly Bushing				G.L. 2803			
Date	9/2/2011						
Run Number	One						
Type Log	CNL / CDL						
Depth Driller	4650						
Depth Logger	4651						
Bottom Logged Interval	4630						
Top Logged Interval	3500						
Type Fluid In Hole	Chemical						
Salinity, PPM CL	2500						
Density	9.5						
Level	Full						
Max. Rec. Temp. F	123						
Operating Rig Time	5 1/2 Hours						
Equipment -- Location	17 Hays						
Recorded By	D.Kerr						
Witnessed By	Bruce Ard						
Borehole Record		Casing Record					
Run No	Bit	From	To	Size	Wgt.	From	To
One	12.25	00	260	8.625	23#	00	260
Two	7.875	260	TD				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858


Shields KS, West to K 4 and K 23,
2 West, North Into

0	Gamma Ray	150
6	Caliper (GAPI)	16



30		Compensated Density		-10	
2		Bulk Density		3	
15000		Line Tension		0	
2.625	DGA	3.425	-0.25	Correction	0.25
					LSPD











Database File: credo_sandra_1_3hd.db
Dataset Pathname: dil/credstk
Presentation Format: cndlspec
Dataset Creation: Fri Sep 02 20:26:03 2011
Charted by: Depth in Feet scaled 1:240















0	Gamma Ray	150
6	Caliper (GAPI)	16



30	CNLS	-10			
30	Compensated Density (2.71 ma)	-10			
2.625	DGA	3.425	-0.25	Correction	0.25
10000	Line Tension	0			

