



## Dual Compensated Porosity Log

**DIGITAL LOG** (785) 625-3858

API No.	15-007-23,695-00-00		
Company	Chieftain Oil Company, Inc.		
Well	Gillig No. 1		
Field	Aetna Gas Area		
County	Barber		
State	Kansas		
Location	2,240' FSL & 600' FEL		
Sec:	33	Twp:	34S
		Rge:	13W
Other Services	DIL		

Permanent Datum	Ground Level	Elevation	1588
Log Measured From	Kelly Bushing	8	Ft. Above Perm. Datum
Drilling Measured From	Kelly Bushing		
Date	6/17/2011		

Run Number	One
Type Log	CNL / CDL
Depth Driller	5578
Depth Logger	5576
Bottom Logged Interval	5555
Top Logged Interval	3700
Type Fluid In Hole	Chemical
Salinity, PPM CL	8500
Density	9.35
Level	Full
Max. Rec. Temp. F	132
Operating Rig Time	3 Hours
Equipment -- Location	10   Hays
Recorded By	J. Long
Witnessed By	Jerry A. Smith

Borehole Record				Casing Record			
Run No.	Bit	From	To	Size	Wgt.	From	To
1	12.25	00	333	8.625	24#	00	333
2	7.875	333	5578				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

### Comments

Thank you for using Log-Tech, Inc.  
(785) 625-3858

Hardtner, 2 West to Gyp Hill Road, 1 3/4 North, 1 West, 1/4 North, 1 West, South and West Into

Database File: c:\warrior\data\chieftain\_gillig no. 1\chieftain\_gillig\_1hd.db  
 Dataset Pathname: dil/chiefstck  
 Presentation Format: cdl  
 Dataset Creation: Fri Jun 17 22:18:52 2011  
 Charted by: Depth in Feet scaled 1:600

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
			Correction
			0.25
LSPD			

























