



SUPERIOR
Hays,
Kansas

SONIC LOG

Company		VINCENT OIL CORPORATION	
Well	BLEUMER #2-33		
Field	WILDCAT		
County	FORD	State	KANSAS
Location:		API # : 15-057-20698-0000	
Permanent Datum		GROUND LEVEL	
Log Measured From		Elevation 2505	
Drilling Measured From		KELLY BUSHING 10' A.G.L.	
SEC 33 TWP 25S RGE 24W		CDL/CNL/PE DIL/MEL	
Elevation		K.B. 2515 D.F. 2513 G.L. 2505	
Date	10-15-10		
Run Number	TWO		
Depth Driller	5070		
Depth Logger	5075		
Bottom Logged Interval	5065		
Top Log Interval	350		
Casing Driller	8 5/8" @ 393		
Casing Logger	393		
Bit Size	7 7/8		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES	3300 PPM
Density / Viscosity	9.3/47		
pH / Fluid Loss	9.5/9.6		
Source of Sample	FLOWLINE		
Rim @ Meas. Temp	.75 @ 81F		
Rmf @ Meas. Temp	.56 @ 81F		
Rmc @ Meas. Temp	.90 @ 81F		
Source of Rmf / Rmc	MEASURED		
Rim @ BHT	.48 @ 126F		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom			
Maximum Recorded Temperature	126F		
Equipment Number	680		
Location	HAYS, KS.		
Recorded By	JEFF GRONEMEG		
Witnessed By	JIM HALL		


<<< Fold Here >>>



All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

THANK YOU FOR USING SUPERIOR WELL SERVICE (785) 628-6395
DIRECTIONS
WRIGHT, KS - 3 MILES NORTH TO GARNETT RD - 4 MILES WEST TO RD 114
1/3 MILE NORTH - EAST INTO

Charted by:		Depth in Feet scaled 1:2.15				
0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
6	DCAL (in)	16	TBHV	0	ITT (msec)	20
			0 (ft3) 10			










800



850


900


950
















1900

1950

2000

2050






2100


2150

2200

2250

2300







2350

2400

2450

2500







2550


2600

2650

2700









3000


3050

3100

3150









3450

3500

3550

3600







3650


3700

3750

3800










4100


4150

4200

4250









4550

4600

4650

4700







4750

4800

4850

4900





SUPERIOR
Hays,
Kansas

REPEAT SECTION

Database File: 005934pe.db
 Dataset Pathname: pass5.2
 Presentation Format: _slt
 Dataset Creation: Thu Oct 14 02:43:45 2010
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	DCAL (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
			TBHV	0	ITT (msec)	20
			0 (ft3) 10			

