



**Borehole Compensated
Sonic Log**

DIGITAL LOG (785) 625-3858

API No. 15-145-21,598-00-00	Company F. G. Holl Co.	Location 35' W of C N/2 N/2 NE 330' FNL & 1355' FEL	Other Services CNL/CDL MEL/DIL
Well Motley No. 1-5	County Pawnee		
Field Rutherford Extension	State Kansas	Sec: 5	Twp: 20 S Rge: 16 W
Log Measured From Drilling Measured From	Ground Level Kelly Bushing	Elevation 2039	K.B. 2047 D.F. G.L. 2039

Date	11/16/2009
Run Number	Two
Type Log	BHC Sonic
Depth Driller	4405
Depth Logger	4404
Bottom Logged Interval	4393
Top Logged Interval	950
Type Fluid In Hole	Chemical
Salinity, PPM CL	5,600
Density	9.2
Level	Full
Max. Rec. Temp. F	122
Operating Rig Time	6 1/2 Hours
Equipment -- Location	Hays
Recorded By	K. Bange
Witnessed By	Rene Husted

Run No	Bit	Borehole Record		Casing Record	
		From	To	From	To
1	12.25	00	976	8.625	24#
2	7.875	976	4405		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858



Albert BT, S to 10th st, W to CR370, 1 S, 1 W, S into



Database File: c:\warrior\data\fg holl_motley no. 1-5\fgholl111609hd.db
 Dataset Pathname: dil/fgstack
 Presentation Format: sonic
 Dataset Creation: Mon Nov 16 13:56:18 2009
 Charted by: Depth in Feet scaled 1:240



0	Gamma Ray	150	Sonic Int	140	Delta Time (usec/ft) (usec/ft)	40
150	Gamma Ray	300	5 (msec)	0	SPOR (pu)	-10
6	Caliper (in)	16		15000	LTEN (lb) (lb)	0
						LSPD (ft/min)






















































4200

4250

4300

4350



-11

-11

-10

-10

