



Borehole Compensated Sonic Log

DIGITAL LOG (785) 625-3858

API No.

15-025-21,485-00-00

Company Falcon Exploration, Inc.

Well YBC No. 1-28

Field Wildcat

County Clark

State Kansas

Location

NE NE SE SW
1140' FSL & 2530' FWL

Other Services
CNL/CDL
MEL/DIL

Sec: 28

Twp: 30S

Rge: 22W

Elevation

Permanent Datum Ground Level Elevation 2377

Log Measured From Kelly Bushing 10 Ft. Above Perm. Datum

K.B. 2387
D.F.
G.L. 2377

Date 09/29/2009

Run Number Two

Type Log BHC Sonic

Depth Driller 6415

Depth Logger 6421

Bottom Logged Interval 6410

Top Logged Interval 650

Type Fluid In Hole Chemical

Salinity, PPM CL 6,500

Density 9.2

Level Full

Max. Rec. Temp. F 142

Operating Rig Time 6 Hours

Equipment -- Location 17 Hays

Recorded By Mike Garrison

Witnessed By Keith Reavis

Borehole Record

Casing Record

Run No	Bit	From	To	Size	Wgt.	From	To
1	12.25	00	692	8.625	24#	00	692
2	7.875	692	6415				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.



Comments



Thank you for using Log-Tech, Inc.
(785) 625-3858



Kingsdown, 8 South to E Rd, 2 East, South Into



Database File: c:\warrior\data\falcon_ybc no. 1-28\falcon.db
Dataset Pathname: dil/falcstock
Presentation Format: sonic
Dataset Creation: Tue Sep 29 14:12:38 2009
Charted by: Depth in Feet scaled 1:240



0	Gamma Ray	150	Sonic Int	140	Delta Time (usec/ft) (usec/ft)	40
150	Gamma Ray	300	5 (msec)	0	SPOR (pu)	-10
6	Caliper (in)	16		10000	LTEN (lb) (lb)	0
						LSPD (ft/min)

































































































LSPD
(ft/min)