



Dual Compensated Porosity Log

DIGITAL LOG (785) 625-3858

API No. 15-195-22,628-00-00	Company Murfyn Drilling Company, Inc.	
	Well PNK #1-9	
	Field Vopeak	
	County Trego	State Kansas
	Location SW NE NW SW 2080' FSL & 870' FWL	Other Services DIL MEL / BHCS
	Sec: 9 Twp: 12S Rge: 21W	Elevation K.B. 2327 D.F. G.L. 2322

Date	9/25/2009		
Run Number	One		
Type Log	CNL / CDL		
Depth Driller	4110		
Depth Logger	4113		
Bottom Logged Interval	4092		
Top Logged Interval	3250		
Type Fluid In Hole	Chemical		
Salinity, PPM CL	6,200		
Density	9.1		
Level	Full		
Max. Rec. Temp. F	117		
Operating Rig Time	4 Hours		
Equipment -- Location	17 Hays		
Recorded By	T. Martin		
Witnessed By	Bob Petersen		
Borehole Record		Casing Record	
Run No	Bit	From	To
One	12.25	00	210
Two	7.875	210	TD

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858


I-70 and Riga Rd, 2 N, 1 W, 1/2 N, E into

Database File: murfinhd.db
Dataset Pathname: dil/mfnstk
Presentation Format: cdl
Dataset Creation: Fri Sep 25 04:29:53 2009
Charted by: Depth in Feet scaled 1:600

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density	-10
2	Bulk Density	3
15000	Line Tension	0
-0.25	Correction	0.25
LSPD		





Database File: murfinhd.db
Dataset Pathname: dil/mfnstk
Presentation Format: cndlspec
Dataset Creation: Fri Sep 25 04:29:53 2009
Charted by: Depth in Feet scaled 1:240



15000

Line Tension

0

-0.25

Correction

0.25

LSPD

