



**Borehole Compensated
Sonic Log**

DIGITAL LOG (785) 625-3858

API No. 15-195-22,618-00-00	Company Murfin Drilling Company, Inc.	Location 1750' FNL & 1450' FEL	Other Services CNL/CDL MEL/DIL
Well Dietz "L" 1-8	County Trego		
Field Wildcat	State Kansas		
Sec: 8	Twp: 12S	Rge: 24W	Elevation K.B. 2494 D.F. 2489 G.L. 2489
Permanent Datum Log Measured From Drilling Measured From	Ground Level Kelly Bushing Kelly Bushing	Elevation 2489 5 Ft. Above Perm. Datum	

Date	08/27/2009
Run Number	Two
Type Log	BHC Sonic
Depth Driller	4470
Depth Logger	4468
Bottom Logged Interval	4457
Top Logged Interval	200
Type Fluid In Hole	Chemical
Salinity, PPM CL	4,000
Density	9.1
Level	Full
Max. Rec. Temp. F	123
Operating Rig Time	5 Hours
Equipment -- Location	17 Hays
Recorded By	Mike Garrison
Witnessed By	Paul Gunzelman

Run No	Bit	Borehole Record		Casing Record	
		From	To	From	To
1	12.25	00	210	8.625	24#
2	7.875	210	4470		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Voda Exit, 1/2 North, 1/2 East, South Into

Database File: c:\warrior\data\murfin_dietz 1 1-8\murfhd.db
 Dataset Pathname: dil/mfnstck
 Presentation Format: sonic
 Dataset Creation: Thu Aug 27 05:43:44 2009
 Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150	Sonic Int	140	Delta Time (usec/ft) (usec/ft)	40
150	Gamma Ray	300	5 (msec)	0	SPOR (pu)	-10
6	Caliper (in)	16		10000	LTEN (lb) (lb)	0
						LSPD (ft/min)







































