



**Borehole Compensated  
Sonic Log**

**DIGITAL LOG** (785) 625-3858

API No. 15-101-22,317-00-00	Company <b>Bentley Oil &amp; Gas Company</b>	Location <b>1650' FNL &amp; 785' FWL</b>	Other Services CNL/CDL MEL/DIL
Well <b>MRLLC No. 1</b>	County <b>Alamota</b>		
Field <b>Alamota</b>	Lane <b>Lane</b>	State <b>Kansas</b>	
Sec: <b>22</b>	Twp: <b>18 S</b>	Rge: <b>27 W</b>	Elevation K.B. 2690 D.F. 2685 G.L. 2685
Permanent Datum Log Measured From Drilling Measured From	Ground Level Kelly Bushing Kelly Bushing	Elevation 2685 5 Ft. Above Perm. Datum	

Date	10/28/2011
Run Number	Two
Type Log	BHC Sonic
Depth Driller	4685
Depth Logger	4687
Bottom Logged Interval	4676
Top Logged Interval	200
Type Fluid In Hole	Chemical
Salinity, PPM CL	2300
Density	9.5
Level	Full
Max. Rec. Temp. F	125
Operating Rig Time	5 Hours
Equipment -- Location	91 Hays
Recorded By	D.Kerr
Witnessed By	Kent Crisler

Borehole Record		Casing Record					
Run No	Bit	From	To	Size	Wgt.	From	To
One	12.25	00	206	8.625	23#	00	206
Two	7.875	206	TD				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

**Comments**

Thank you for using Log-Tech, Inc.  
(785) 625-3858  
  
Alamota KS, 2 North,  
1/4 East, South Into

Database File: bentleyoil\_mrllic\_102811hd.db  
 Dataset Pathname: DIL/bntstk  
 Presentation Format: sonic  
 Dataset Creation: Fri Oct 28 17:55:24 2011  
 Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150	Sonic Int	140	Delta Time (usec/ft)	40
150	Gamma Ray	300	5	0	Sonic Porosity	-10
6	dCAL (GAPI)	16		15000	LTEN (lb)	0

LSPD









































