



SUPERIOR
Hays,
Kansas

MICRO LOG

Company BLUE RIDGE PETROLEUM CORP.
Well ANTENEN #1-14
Field WVC NORTHWEST
County NESS
State KANSAS

Company BLUE RIDGE PETROLEUM CORPORATION
Well ANTENEN #1-14
Field WVC NORTHWEST
County NESS State KANSAS

Location: API #: 15-135-25008
2310' FNL & 1560' FEL
SEC 14 TWP 19S RGE 26W
Permanent Datum GROUND LEVEL Elevation 2618
Log Measured From KELLY BUSHING 5' A.G.L.
Drilling Measured From KELLY BUSHING
Other Services
CDL/CNL
DIL/SON
Elevation
K.B. 2623
D.F.
G.L. 2618

Date	1-3-10		
Run Number	TWO		
Depth Driller	4688		
Depth Logger	4689		
Bottom Logged Interval	4672		
Top Log Interval	3700		
Casing Driller	218		
Casing Logger	NA		
Bit Size	7.875		
Type Fluid in Hole	CHEMICAL MUD		
Density / Viscosity	0.1 / 50		
pH / Fluid Loss	10.0 / 8.0		
Source of Sample	FLOWLINE		
Rim @ Meas. Temp	0.70 @ 70F		
Rinf @ Meas. Temp	0.53 @ 70F		
Rmc @ Meas. Temp	0.84 @ 70F		
Source of Rinf / Rmc	MEASURED		
Rim @ BHT	.400 @ 122F		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom	11:30 A.M.		
Maximum Recorded Temperature	122F		
Equipment Number	860		
Location	HAYS, KS.		
Recorded By	RUPP		
Witnessed By	JOSH AUSTIN	JONATHAN ALLEN	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

SUPERIOR WELL SERVICES
785-628-6395
THANK YOU FOR YOUR BUSINESS
DIRECTIONS: BEEHLER, 2S, 2E, S INTO.





SUPERIOR
Hays,
Kansas

MAIN SECTION

Database File: 004778ddn.db
Dataset Pathname: pass5.1
Presentation Format: micro
Dataset Creation: Sun Jan 03 16:03:14 2010
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	20
6	CALIPER (in)	16	10 (ft3) 0	0	MEL2.0 (Ohm-m)	20
			TBHV			
			0 (ft3) 10			







3900


3950

4000

4050









4350

4400

4450

4500







SUPERIOR
Hays,
Kansas

REPEAT SECTION

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	20
6	CALIPER (in)	16	10 (ft3) 0	0	MEL2.0 (Ohm-m)	20
			TBHV			
			0 (ft3) 10			





Calibration Report	
Database File:	004778ddn.db
Dataset Pathname:	pass5.1
Dataset Creation:	Sun Jan 03 16:03:14 2010

MICRO Calibration Report		
Serial Number:	Micro1	
Tool Model:	ProbeL	
Performed:	Sun Jan 03 14:56:45 2010	
Caliper Calibration:	Gain=3.512	Offset=-1.889
References	Low Cal	High Cal
Readings	7.600	14.000
	2.702	4.525
1.5" Calibration:	Gain=32.000	Offset=1.800
References	Low Cal	High Cal
Readings	0.000	20.000
	0.004	0.843
2" Calibration:	Gain=22.000	Offset=1.800
References	Low Cal	High Cal
Readings	0.000	20.000
	0.021	0.810

Gamma Ray Calibration Report		
Serial Number:	GR5	
Tool Model:	OPEN	
Performed:	Sun Jan 03 11:52:20 2010	
Calibrator Value:	1.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	1.0	cps
Sensitivity:	0.5800	GAPI/cps

