



Dual Compensated  
Porosity Log

DIGITAL LOG (785) 625-3858

API No. 15-101-22206-00-00

Company Larson Engineering, Inc.  
Well Suppes No. 1-19  
Field Wildcat  
County Lane  
State Kansas

Location 800' FSL & 840' FEL

Sec: 19 Twp: 19 S Rge: 29 W

Other Services  
DIL  
MEL

Permanent Datum Ground Level Elevation 2865  
Log Measured From Kelly Bushing 5 Ft. Above Perm. Datum  
Drilling Measured From Kelly Bushing

Elevation  
K.B. 2870  
D.F. 2865  
G.L. 2865

Date 12/11/2009

Run Number Two

Type Log CNL / CDL

Depth Driller 4642

Depth Logger 4645

Bottom Logged Interval 4643

Top Logged Interval 3600

Type Fluid In Hole Chemical

Salinity, PPM CL 2,300

Density 9.2

Level Full

Max. Rec. Temp. F 122

Operating Rig Time 4 Hours

Equipment -- Location 15 Hays

Recorded By B. Becker

Witnessed By Bob Lewellyn

Run No	Bit	Borehole Record		Casing Record	
		From	To	From	To
1	12.25	00	260	8.625	24#
2	7.875	260	4642		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.  
(785) 625-3858


Dighton, Ks; 5 West to Gage Rd;  
6-1/2 South; West Into


Database File: c:\warrior\data\larson\_suppes no. 1-19\larsonhd.db  
 Dataset Pathname: DIL\larstk  
 Presentation Format: cdl  
 Dataset Creation: Fri Dec 11 16:26:02 2009  
 Charted by: Depth in Feet scaled 1:600


0	Gamma Ray	150
6	Caliper (in)	16

30	Compensated Density (pu)			-10	
2	Bulk Density (g/cc)			3	
15000	Line Tension (lb)			0	
2.625	DGA (g/cc)	3.425	-0.25	Correction (g/cc)	0.25

LSPD  
(ft/min)







Database File: c:\warrior\data\larson\_suppes no. 1-19\larsonhd.db  
 Dataset Pathname: DIL/larstk  
 Presentation Format: cndlspec  
 Dataset Creation: Fri Dec 11 16:26:02 2009  
 Charted by: Depth in Feet scaled 1:240

