



Dual Compensated Porosity Log

DIGITAL LOG (785) 625-3858

API No.

15-025-21,488-00-00

Company Falcon Exploration, Inc.

Well YBC #1-34 (NW)

Field Wildcat

County Clark

State Kansas

Location

1820' FNL & 450' FWL

Other Services
DIL
MEL / BHCS

Sec: 34

Twp: 30S

Rge: 22W

Permanent Datum

Ground Level

Elevation 2359

Log Measured From Kelly Bushing

10 Ft. Above Perm. Datum

K.B. 2369
D.F.
G.L. 2359

Date

11/13/2009

Run Number

One

Type Log

CNL / CDL

Depth Driller

6360

Depth Logger

6362

Bottom Logged Interval

6341

Top Logged Interval

3200

Type Fluid In Hole

Chemical

Salinity, PPM CL

9,600

Density

9.05

Level

Full

Max. Rec. Temp. F

142

Operating Rig Time

6 Hours

Equipment -- Location

10 Hays

Recorded By

T. Martin

Witnessed By

Keith Reavis

Borehole Record

Casing Record

Run No

Bit

From

To

Size

Wgt.

From

To

1

12.25

00

682

8.625

24#

00

682

2

7.875

682

6360

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858


Kingsdown, 8 S to E Rd, 1 1/2 E, S into


Database File: c:\warrior\data\falcon_ybc #1-34\flcnhd.db
Dataset Pathname: dil/flcnstk
Presentation Format: cdlldga
Dataset Creation: Fri Nov 13 10:58:54 2009
Charted by: Depth in Feet scaled 1:600


0	Gamma Ray	150	TBHV	30	Comp. Density Porosity(Ls) (pu)	-10
6	Caliper (in)	16	0 (ft3) 7.5	15000	Line Tension (lb)	0
			ABHV	2	Bulk Density (g/cc)	3
			7.5 (ft3) 0		-0.25 Correction (g/cc)	0.25
			DGA			LSPD
			(g/cc)			(ft/min)
			2.6 3.1			

















0	Gamma Ray	150	TBHV	30	Comp. Density Porosity(Ls) (pu)	-10
6	Caliper (in)	16	0 (ft3) 7.5	15000	Line Tension (lb)	0
			ABHV	2	Bulk Density (g/cc)	3
			7.5 (ft3) 0		-0.25 Correction (g/cc)	0.25
			DGA (g/cc)			LSPD (ft/min)
			2.6 3.1			


Database File: c:\warrior\data\falcon_ybc #1-34\flcnhd.db
 Dataset Pathname: dil/flcnstk
 Presentation Format: ducpdga
 Dataset Creation: Fri Nov 13 10:58:54 2009
 Charted by: Depth in Feet scaled 1:240


0	Gamma Ray	150	TBHV	30	Compensated Neutron (Ls) (pu)	-10
6	Caliper (in)	16	0 (ft3) 7.5	30	Comp. Density Porosity(Ls) (pu)	-10
			ABHV	15000	Line Tension (lb)	0
			7.5 (ft3) 0		-0.25 Correction (g/cc)	0.25
			DGA (g/cc)			LSPD (ft/min)
			2.6 3.1			










































0	Gamma Ray	150	TBHV	30	Compensated Neutron (Ls) (pu)			-10			
6	Caliper (in)	16	0 (ft3) 7.5	30	Comp. Density Porosity(Ls) (pu)			-10			
			ABHV	15000	Line Tension (lb)			0			
			7.5 (ft3) 0				-0.25	Correction (g/cc)	0.25		
			DGA (g/cc)				LSPD (ft/min)				
			2.6 3.1								