



SUPERIOR
Hays,
Kansas

SONIC
LOG

Company VINCENT OIL CORPORATION
Well SMITH #1-7
Field WILDCAT
County FORD
State KANSAS

Company VINCENT OIL CORPORATION
Well SMITH #1-7
Field WILDCAT
County FORD State KANSAS

Location: API # : 15-057-20643-0000
2010' FNL & 765' FEL
SEC 7 TWP 29S RGE 22W
Permanent Datum GROUND LEVEL Elevation 2531
Log Measured From KELLY BUSHING 12' A.G.L.
Drilling Measured From KELLY BUSHING
Other Services
CDL/CNL/PE
DIL/MEL
Elevation
K.B. 2543
D.F. 2541
G.L. 2531

Date	9/12/09		
Run Number	TWO		
Depth Driller	5560		
Depth Logger	5564		
Bottom Logged Interval	5551		
Top Log Interval	550		
Casing Driller	8 5/8"@582'		
Casing Logger	578		
Bit Size	7 7/8		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 8,600 PPM	
Density / Viscosity	9.5/53		
pH / Fluid Loss	9.0/13.2		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	.500@85F		
Rmf @ Meas. Temp	.375@85F		
Rmc @ Meas. Temp	.600@85F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	.327@130F		
Time Circulation Stopped	5.5 HOURS		
Time Logger on Bottom	1:15 P.M.		
Maximum Recorded Temperature	130F		
Equipment Number	0836		
Location	HAYS, KANSAS		
Recorded By	JEFF LUEBBERS		
Witnessed By	KEN LEBLANC		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING SUPERIOR WELL SERVICE HAYS, KANSAS (785) 628-6395
DIRECTIONS
KINGSDOWN, KS. 1/2 N. OF HWY 54., W. INTO





SUPERIOR
Hays,
Kansas


MAIN SECTION


Database File: 004068pe.db
Dataset Pathname: pass6.5
Presentation Format: slt
Dataset Creation: Sat Sep 12 17:46:40 2009 by Calc Open-Cased 060407
Charted by: Depth in Feet scaled 1:240


0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
			TBHV	0	ITT (msec)	20
			0 (ft3) 10			
















1650

1700

1750

1800








1850


1900

1950

2000









2300


2350

2400

2450









2750


2800


2850


2900


























4500

4550

4600

4650






4700


4750

4800

4850

4900







4950

5000

5050

5100





5150

5200

5250

5300

