

Dual Compensated Porosity Log

(785) 625-3858

API No.

Company Teton North America, LLC

Well Patton Trust #2-36

Field Boyd

County Barton

State Kansas

C NENE

Sec:

Twp: 17S

Rge: 14W

Other Services
DIL
MEL / BHCS

Elevat

Permanent Datum	Ground Level	Elevation 1865
Log Measured From	Kelly Bushing	8 Ft. Above Perm. Datum
Drilling Measured From	Kelly Bushing	

K.B.	1865
D.F.	1857
G.L.	

Date	9/20/2008
------	-----------

Run Number	One
------------	-----

Type Log	CNL / CDD

Depth Logger	3421
--------------	------

Bolton Logged Interval	3400
------------------------	------

[illegible]

Salinity, PPM CL	9,000
------------------	-------

Belisly	0.0
---------	-----

May Pac Tamb E	110
----------------	-----

Operating rig limits	7 hours
----------------------	---------

By	T Martin
----	----------

Witnessed By	Kevin Keavin
--------------	--------------

	D	F	H
Boiling Point			

On	12 25	m	814
----	-------	---	-----

Two	7.875	814	TD
-----	-------	-----	----

--	--	--	--	--

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858


Hoisington, 2 W, S and W into

Database File: tetonhd.db
Dataset Pathname: dil/tetonstk
Presentation Format: cdl
Dataset Creation: Sat Sep 20 03:10:51 2008
Charted by: Depth in Feet scaled 1:600

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density				-10
2	Bulk Density				3
15000	Line Tension				0
2.625	DGA	3.425	-0.25	Correction	0.25
					LSPD





Database File: tetonhd.db			
Dataset Pathname: dil/tetonstk			
Presentation Format: cndlspec			
Dataset Creation: Sat Sep 20 03:10:51 2008			
Charted by: Depth in Feet scaled 1:240			
0	Gamma Ray	150	
6	Caliper (GAPI)	16	
30	Compensated Neutron (Limestone)	-10	
30	Compensated Density (2.71 ma)	-10	
2.625	DGA	3.425	0.25
15000	Line Tension	0	
		LSPD	

