



Borehole Compensated Sonic Log

DIGITAL LOG (785) 625-3858

API No.

15-009-25,219

Company Teton North America, LLC

Well Patton Trust #2-36

Field Boyd

County Barton

State Kansas

Location

C NE NE
630' FNL & 1110' FEL

Other Services
CNL / CDL
MEL / DIL

Sec: 36

Twp: 17S

Rge: 14W

Permanent Datum

Ground Level

Elevation 1865

K.B. 1865

Log Measured From

Kelly Bushing

8 Ft. Above Perm. Datum

D.F. 1857

Drilling Measured From

Kelly Bushing

G.L. 1857

Date 9/20/2008

Run Number

Two

Type Log

BHC Sonic

Depth Driller

3410

Depth Logger

3421

Bottom Logged Interval

3410

Top Logged Interval

800

Type Fluid In Hole

Chemical

Salinity, PPM CL

9,000

Density

8.9

Level

Full

Max. Rec. Temp. F

110

Operating Rig Time

4 Hours

Equipment -- Location

15 Hays

Recorded By

T. Martin

Witnessed By

Keith Reavis

Borehole Record

Casing Record

Run No Bit

From

To

Size

Wgt. 23#

From

To

One 12.25

00

814

8.625

23#

00

814

Two 7.875

814

TD

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Hoisington, 2 W, S and W into

Database File: tetonhd.db
Dataset Pathname: dil/tetonstk
Presentation Format: sonic
Dataset Creation: Sat Sep 20 03:10:51 2008
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150	Sonic Int	140	Delta Time (usec/ft)	40
150	Gamma Ray	300	5	0	Sonic Porosity (Limestone)	-10
6	Caliper (GAPI)	16			LTEN (lb)	0
						LSPD

























