LOG-TECH

DIGITAL LOG (785) 625-3858

Dual Induction Log

API No. 15-167-23,580-00-00

Company JAG Operating, Inc.

Well Brungardt #1

Field Gorham Northwest


County Russell State Kansas


Location NW NE SE NW
1,330' FNL & 2,270' FWL
Sec: 14 Twp: 13S Rge: 15W


Other Services
CNL / CDL
MEL / BHCS


Elevation
K.B. 1826
D.F.
G.L. 1817


| | | |



0 Gamma Ray 150
-200 SP 0
0 Shallow Resistivity 50
0 Deep Resistivity 50
1000 Conductivity 0
15000 Line Tension 0
50 Shallow Resistivity 500
50 Deep Resistivity 500
LSPD
200
250
300
350
400
450
500
550
600
650
-38
-37
-73
-73
-73
-73
-73
-73
-73
-79


700
750
800
850
900
950
1000
1050
1100
1150
1200
-78
-78
-78
-78
-78
-78
-78
-78
-78
-76


1250
1300
1350
1400
1450
1500
1550
1600
1650
1700
1750
-76
-76
-76
-76
-76
-76
-76
-76
-76
-74


1800
1850
1900
1950
2000
2050
2100
2150
2200
2250
-74
-74
-74
-74
-74
-74
-74
-74
-74


2300
2350
2400
2450
2500
2550
2600
2650
2700
2750
2800
-74
-74
-72
-73
-31
-31
-31
-31
-31
-30
-31


2850
2900
2950
3000
3050
3100
3150
3200
3250
3300
3350
-31
-31
-31
-30
-30
-30
-30
-30
-30
-30
-30
0
Gamma Ray
150
-200
SP
0
0
Shallow Resistivity
50
0
Deep Resistivity
50
1000
Conductivity
0
LSPD


15000	Line Tension	0
50	Shallow Resistivity	500
50	Deep Resistivity	500

Database File: jaghd.db
Dataset Pathname: dil/jagstk
Presentation Format: dil
Dataset Creation: Sun Jul 26 15:54:17 2009
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150
-200	SP	0
-160	Rxo / Rt	40

0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
15000	Line Tension	0

LSPD



0	Gamma Ray	150
-200	SP	0
-160	Rxo / Rt	40

0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
15000	Line Tension	0

LSPD


Database File: jaghd.db
Dataset Pathname: dil/jagstk


Dataset Creation:	Sun Jul 26 15:54:17 2009
Charted by:	Depth in Feet scaled 1:240


0	Gamma Ray	150
-200	SP	0
-160	Rxo / Rt	40


0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
15000	Line Tension	0


LSPD




2700
2750
2800
2850
-31
-30
-31
-31


2900
2950
3000
3050
3100
-31
-31
-30
-30
-30


3150
3200
3250
3300
-30
-30
-30
-30



0	Gamma Ray	150
-200	SP	0
-160	Rxo / Rt	40

0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
15000	Line Tension	0

LSPD