LOG-TECH

DIGITAL LOG (785) 625-3858

Microresistivity Log

API No. 15-167-23,580-00-00

Company JAG Operating, Inc.

Well Brungardt #1

Field Gorham Northwest

County Russell State Kansas

Location NW NE SE NW
1,330' FNL & 2,270' FWL
Sec: 14 Twp: 13S Rge: 15W

Other Services
CNL / CDL
DIL / BHCS

Elevation
K.B. 1826
D.F.
G.L. 1817

Permanent Datum	Ground Level	Elevation 1817			
Log Measured From	Kelly Bushing	9 Ft. Above Perm. Datum			
Drilling Measured From	Kelly Bushing				
Date	7/26/2009				
Run Number	Two				
Depth Driller	3340				
Depth Logger	3346				
Bottom Logged Interval	3345				
Top Log Interval	2500				
Casing Driller	8.625 @ 255				
Casing Logger	253				
Bit Size	7.875				
Type Fluid in Hole	Chemical				
Salinity,ppm CL	5,000				
Density / Viscosity	9.0 / 59				
pH / Fluid Loss	8.0 / 9.2				
Source of Sample	Flowline				
Rm @ Meas. Temp	.6 @ 85				
Rmf @ Meas. Temp	.45 @ 85				
Rmc @ Meas. Temp	.81 @ 85				
Source of Rmf / Rmc	Charts				
Rm @ BHT	.47 @ 109				
Operating Rig Time	4 Hours				
Max Rec. Temp. F	109				
Equipment Number	17				
Location	Hays				
Recorded By	T. Martin				
Witnessed By	Mike Bair				

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858


Gorham, 3 East to 279 Rd, 2 North, 1/2 East, North Into


Database File:	jaghd.db
Dataset Pathname:	dil/jagstk
Presentation Format:	micro
Dataset Creation:	Sun Jul 26 15:54:17 2009
Charted by:	Depth in Feet scaled 1:240


0 Gamma Ray 150
6 Micro Log Caliper (GAPI) 16
-200 SP 0
0 Micro Inverese 1 X 1 40
0 Micro Normal 2'' 40
10000 Line Weight 0
LSPD
2500
2550
2600
2650
-31
-31
-31
-31


2700
2750
2800
2850
2900
-31
-30
-31
-31
-31


2950
3000
3050
3100
-31
-30
-30
-30


3150
-30
3200
-30
3250
-30
3300
-30



0	Gamma Ray	150
6	Micro Log Caliper (GAPI)	16
-200	SP	0

0	Micro Inverese 1 X 1	40
0	Micro Normal 2''	40
10000	Line Weight	0

LSPD