LOG-TECH

DIGITAL LOG (785) 625-3858

Dual Compensated Porosity Log

API No. 15-167-23,580-00-00

Company JAG Operating, Inc.
Well Brungardt #1
Field Gorham Northwest
County Russell State Kansas

Location NW NE SE NW
1,330' FNL & 2,270' FWL
Sec: 14 Twp: 13S Rge: 15W

Other Services
DIL
MEL / BHCS

Elevation
K.B. 1826
D.F.
G.L. 1817

Permanent Datum Ground Level Elevation 1817
Log Measured From Kelly Bushing 9 Ft. Above Perm. Datum
Drilling Measured From Kelly Bushing

Date	7/26/2009		
Run Number	One		
Type Log	CNL / CDL		
Depth Driller	3340		
Depth Logger	3346		
Bottom Logged Interval	3325		
Top Logged Interval	2500		
Type Fluid In Hole	Chemical		
Salinity, PPM CL	5,000		
Density	9.0		
Level	Full		
Max. Rec. Temp. F	109		
Operating Rig Time	4 Hours		
Equipment -- Location	17 Hays		
Recorded By	T. Martin		
Witnessed By	Mike Bair		

Borehole Record				Casing Record			
Run No	Bit	From	To	Size	Wgt.	From	To
One	12.25	00	255	8.625	23#	00	255
Two	7.875	255	TD				

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Gorham, 3 East to 279 Rd, 2 North, 1/2 East, North Into

Database File: jaghd.db
Dataset Pathname: dil/jagstk
Presentation Format: cdl
Dataset Creation: Sun Jul 26 15:54:17 2009
Charted by: Depth in Feet scaled 1:600


0 Gamma Ray 150
6 Caliper (GAPI) 16
30 Compensated Density -10
2 Bulk Density 3
15000 Line Tension 0
2.625 DGA 3.425 -0.25 Correction 0.25
LSPD
2500
2550
2600
2650
2700
2750
2800
2850
2900
2950
-31
-31
-31
-31
-31
-30
-31
-31
-31
-31




0	Gamma Ray	150
6	Caliper (GAPI)	16


30	Compensated Density				-10
2	Bulk Density				3
15000	Line Tension				0
2.625	DGA	3.425	-0.25	Correction	0.25
					LSPD


Database File:	jaghd.db
Dataset Pathname:	dil/jagstk
Presentation Format:	cndlspec
Dataset Creation:	Sun Jul 26 15:54:17 2009
Charted by:	Depth in Feet scaled 1:240


0	Gamma Ray	150
6	dcal (GAPI)	16

30	Compensated Neutron (Limestone)				-10
30	Compensated Density (2.71 ma)				-10
2.625	DGA	3.425	-0.25	Correction	0.25
15000	Line Tension				0


LSPD
2500
2550
2600
2650
2700
-31
-31
-31
-31
-31


2750
2800
2850
2900
-30
-31
-31
-31


2950
3000
3050
3100
-31
-30
-30
-30


3150
3200
3250
3300
3350
-30
-30
-30
-30
0
Gamma Ray
150
30
Compensated Neutron (Limestone)
-10

6	dcal (GAPI)	16

30	Compensated Density (2.71 ma)				-10
2.625	DGA	3.425	-0.25	Correction	0.25
15000	Line Tension				0

LSPD