



## Dual Compensated Porosity Log

**DIGITAL LOG** (785) 625-3858

API No. 15-195-22,601-00-00	Company <b>Ohio Kentucky Oil Corporation</b>	Other Services DIL / MEL
	Well <b>Theo Wiedeman #3</b>	
	Field <b>Hackberry</b>	
	County <b>Trego</b>	State <b>Kansas</b>
	Location <b>SW NE NW SW 2205' FSL &amp; 890' FWL</b>	
	Sec: <b>19</b> Twp: <b>14S</b> Rge: <b>24W</b>	
	Permanent Datum Ground Level Elevation <b>2328</b>	
	Log Measured From Kelly Bushing 5 Ft. Above Perm. Datum	K.B. <b>2333</b>
	Drilling Measured From Kelly Bushing	D.F. G.L. <b>2328</b>

Date	2/21/2009						
Run Number	One						
Type Log	CNL / CDL						
Depth Driller	4315						
Depth Logger	4317						
Bottom Logged Interval	4296						
Top Logged Interval	3200						
Type Fluid In Hole	Chemical						
Salinity, PPM CL	3,300						
Density	9.2						
Level	Full						
Max. Rec. Temp. F	119						
Operating Rig Time	4 Hours						
Equipment -- Location	15 Hays						
Recorded By	T. Martin						
Witnessed By	Jim Hall						
Borehole Record							
Run No	Bit	From	To	Size	Wgt.	From	To
One	12.25	00	216	8.625	23#	00	216
Two	7.875	216	TD				
Casing Record							

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

### Comments

Thank you for using Log-Tech, Inc.  
(785) 625-3858

Wakeeney, 13 S to V Rd, 7 W to 180 Ave, W into

Database File: okhd.db  
 Dataset Pathname: dil/okstk  
 Presentation Format: cdl  
 Dataset Creation: Sat Feb 21 17:26:38 2009  
 Charted by: Depth in Feet scaled 1:600

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
Correction			0.25
LSPD			















