



Dual Induction Log

DIGITAL LOG

(785) 625-3858

API No.	15-053-21,228-00-00		
Company	Fox Petroleum, Inc.		
Well	Wire No.4		
Field	Geneseo		
County	Ellsworth	State	Kansas
Location	660' FSL & 3850' FEL		
Sec: 34	Twp: 17S	Rge: 8W	Elevation CNL/CDL MEL
Permanent Datum	Ground Level	Elevation 1780	K.B. 1787
Log Measured From	Kelly Bushing	7 Ft. Above Perm. Datum	D.F. 1780
Drilling Measured From	Kelly Bushing		G.L. 1780

Date	10/29/2008
Run Number	One
Depth Driller	3250
Depth Logger	3245
Bottom Logged Interval	3244
Top Log Interval	250
Casing Driller	8.625 @ 295
Casing Logger	286
Bit Size	7.875
Type Fluid in Hole	Chemical
Salinity, ppm CL	3,000
Density / Viscosity	9.2 50
pH / Fluid Loss	9.5 8.8
Source of Sample	Flowline
Rm @ Meas. Temp	.75 @ 68
Rmf @ Meas. Temp	.56 @ 68
Rmc @ Meas. Temp	1.01 @ 68
Source of Rmf / Rmc	Charts
Rm @ BHT	.47 @ 108
Operating Rig Time	4 Hours
Max Rec. Temp. F	108
Equipment Number	17
Location	Hays
Recorded By	C. Desaire
Witnessed By	Jim Musgrove

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858




Hwy 4 & Hwy 14 Jct,
1/2 N, 1/2 E, N & W Into



Database File: foxhd.db
 Dataset Pathname: dil/foxstk
 Presentation Format: dil2in
 Dataset Creation: Wed Oct 29 18:41:49 2008
 Charted by: Depth in Feet scaled 1:600



0 Gamma Ray 150
-200 SP 0




0 Shallow Resistivity 50
0 Deep Resistivity 50
1000 Conductivity 0
15000 Line Tension 0
50 Shallow Resistivity 500
50 Deep Resistivity 500


LSPD












Database File: foxhd.db
 Dataset Pathname: dil/foxstk
 Presentation Format: dil
 Dataset Creation: Wed Oct 29 18:41:49 2008
 Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150	0.2	Deep Resistivity	2000
-200	SP	0	0.2	Medium Resistivity	2000
-160	Rxo / Rt	40	0.2	Shallow Resistivity	2000
			15000	Line Tension	0




2600

2650

2700

2750

2800




-30

-30

-30

-30

-30




2850

2900

2950

3000




-30

-30

-29

-30




3050

3100

3150

3200




-26

-25

-26

-25



3250

