



SUPERIOR
Hays,
Kansas

MICRO LOG

Company	REILLY OIL COMPANY, INC.		
Well	COFFIN - EASON UNIT #1-6		
Field	WILDCAT		
County	GRAHAM	State	KANSAS
Location:	API #: 15-065-23533 170' FSL & 2190' FWL		Other Services CDL/CNL DIL
SEC 6 TWP 7S RGE 23W		Elevation	
Permanent Datum	GROUND LEVEL	Elevation	2452
Log Measured From	KELLY BUSHING 5' A.G.L.		
Drilling Measured From	KELLY BUSHING		
K.B. 2457 D.F. G.L. 2452			

Date	3-2-09		
Run Number	TWO		
Depth Driller	3965		
Depth Logger	3964		
Bottom Logged Interval	3960		
Top Log Interval	3400		
Casing Driller	262		
Casing Logger	NA		
Bit Size	7.875		
Type Fluid in Hole	CHEMICAL MUD		
Density / Viscosity	9.3 / 55		
pH / Fluid Loss	11.5 / 7.2		
Source of Sample	FLOWLINE		
Rim @ Meas. Temp	1.10 @ 60F		
Rinf @ Meas. Temp	0.83 @ 60F		
Rmc @ Meas. Temp	1.32 @ 60F		
Source of Rinf / Rmc	MEASURED		
Rim @ BHT	.580 @ 114F		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom			
Maximum Recorded Temperature	114F		
Equipment Number	0860		
Location	HAYS, KS.		
Recorded By	RUPP		
Witnessed By	RICHARD BELL		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

SUPERIOR WELL SERVICES
785-628-6395
THANK YOU FOR YOUR BUSINESS
DIRECTIONS: HILL CITY, N TO RD. "Y", 4 1/2W, 1 1/2S INTO.





SUPERIOR
Hays,
Kansas


MAIN SECTION

Database File: 003235ddn.db
Dataset Pathname: pass6.1
Presentation Format: micro
Dataset Creation: Mon Mar 02 09:03:47 2009 by Calc Open-Cased 051020
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	20
6	CALIPER (in)	16	10 (ft3) 0	0	MEL2.0 (Ohm-m)	20
			TBHV			
			0 (ft3) 10			









Database File: 003235ddn.db
 Dataset Pathname: pass5
 Presentation Format: micro
 Dataset Creation: Mon Mar 02 08:30:22 2009 by Log Open-Cased 051020
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	20
6	CALIPER (in)	16	10 (ft3) 0	0	MEL2.0 (Ohm-m)	20
			TBHV			
			0 (ft3) 10			





Calibration Report			
Database File:	003235ddn.db		
Dataset Pathname:	pass6.1		
Dataset Creation:	Mon Mar 02 09:03:47 2009 by Calc Open-Cased 051020		
MICRO Calibration Report			
Serial Number:	Micro1		
Tool Model:	ProbeL		
Performed:	Mon Mar 02 08:57:05 2009		
Caliper Calibration:	Gain=3.106	Offset=-1.233	
References	Low Cal	High Cal	
Readings	7.700	14.000	
	2.876	4.905	
1.5" Calibration:	Gain=30.000	Offset=0.000	
References	Low Cal	High Cal	
Readings	0.000	20.000	
	0.004	0.828	
2" Calibration:	Gain=20.000	Offset=0.000	
References	Low Cal	High Cal	
Readings	0.000	20.000	
	0.021	0.816	
Gamma Ray Calibration Report			
Serial Number:	GR5		
Tool Model:	OPEN		
Performed:	Mon Jan 19 16:45:44 2009		
Calibrator Value:	1.0	GAPI	
Background Reading:	0.0	cps	
Calibrator Reading:	1.0	cps	
Sensitivity:	0.5000	GAPI/cps	