



Dual Induction Log

DIGITAL LOG (785) 625-3858

API No.		Company American Warrior, Inc.			
		Well Reinhardt "B" No. 7			
		Field Gorham			
		County Russell	State	Kansas	
15-167-23,626-00-00		Location 2220' FSL & 920' FWL		Other Services CNL/CDL MEL/BHCS	
Permanent Datum		Ground Level	Elevation 1826	Elevation	
Log Measured From		Kelly Bushing	8 Ft. Above Perm. Datum	K.B. 1834	
Drilling Measured From		Kelly Bushing		D.F. 1826	
Date		04/02/2010		G.L. 1826	
Run Number		One			
Depth Driller		3251			
Depth Logger		3254			
Bottom Logged Interval		3253			
Top Log Interval		850			
Casing Driller		8.625 @ 859			
Casing Logger		853			
Bit Size		7.875			
Type Fluid in Hole		Chemical			
Salinity,ppm CL		6.900			
Density / Viscosity		9.1 50			
pH / Fluid Loss		10.5 8.0			
Source of Sample		Flowline			
Rm @ Meas. Temp		.88 @ 70			
Rmf @ Meas. Temp		.66 @ 70			
Rmc @ Meas. Temp		1.18 @ 70			
Source of Rmf / Rmc		Charts			
Rm @ BHT		.56 @ 111			
Operating Rig Time		5 Hours			
Max Rec. Temp. F		111			
Equipment Number		10			
Location		Hays			
Recorded By		Jason Wellbrock			
Witnessed By		Marc Downing			

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Balta Rd 3S, E Into

Database File: c:\warrior\data\amwar_reinhardt b no. 7\awhd.db
Dataset Pathname: dil\aw2in
Presentation Format: dil2in
Dataset Creation: Fri Apr 02 01:29:30 2010
Charted by: Depth in Feet scaled 1:600




Charted by: Depth in Feet scaled 1:600



0	Gamma Ray	150
-200	SP (mV)	0



0	Shallow Resistivity	50
0	Deep Resistivity	50
1000	Conductivity	0
15000	Line Tension	0




50	Shallow Resistivity	500
50	Deep Resistivity	500



LSPD
0
0















0	Gamma Ray	150
-200	SP (mV)	0
-160	Rxo / Rt	40

900

950



0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
15000	Line Tension	0


LSPD

Database File: c:\warrior\data\amwar_reinhardt b no. 7\awhd.db
Dataset Pathname: dil/aw2in
Presentation Format: dil
Dataset Creation: Fri Apr 02 01:29:30 2010
Charted by: Depth in Feet scaled 1:240


0	Gamma Ray	150
-200	SP (mV)	0
-160	Rxo / Rt	40

0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
15000	Line Tension	0


LSPD



2250



-32




2300

2350

2400

2450

2500




-34

-30

-31

-31

-31




2550

2600

2650

2700




-30

-31

-30

-31




2750

2800

2850

2900

2950




-33

-32

-32

-32

-32




3000

3050

3100

3150




-32

-32


-32

-32



3200

3250



-32

-31

LSPD