SUPERIOR WELL SERVICES

SUPERIOR
Hays,
Kansas

SONIC LOG

Company VINCENT OIL CORPORATION

Well FRINK #1-28

Field

County FORD State KANSAS

Location: API # : 15-057-20652

40' FSL & 1620' FWL

SEC 28 TWP 28S RGE 23W

Other Services
CDL/CNL/PE
DIL/MEL

Elevation
K.B. 2526
D.F.
G.L. 2514

Permanent Datum GROUND LEVEL Elevation 2514
Log Measured From KELLY BUSHING 12' A.G.L.
Drilling Measured From KELLY BUSHING

Company VINCENT OIL COPORATION
Well FRINK #1-28
Field
County FORD
State KANSAS

Date	1-1-10		
Run Number	TWO		
Depth Driller	5400		
Depth Logger	5398		
Bottom Logged Interval	5388		
Top Log Interval	570		
Casing Driller	580		
Casing Logger	580		
Bit Size	7.875		
Type Fluid in Hole	CHEMICAL MUD		
Density / Viscosity	8.8 / 46		
pH / Fluid Loss	10.0 / 9.6		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	0.40 @ 70F		
Rmf @ Meas. Temp	0.30 @ 70F		
Rmc @ Meas. Temp	0.48 @ 70F		
Source of Rmf / Rmc	MEASURED		
Rm @ BHT	.220 @ 129F		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom	2:30 P.M.		
Maximum Recorded Temperature	129F		
Equipment Number	860		
Location	HAYS, KS.		
Recorded By	RUPP		
Witnessed By	KEN LeBLANC		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

SUPERIOR WELL SERVICES
785-628-6395
THANK YOU FOR YOUR BUSINESS
DIRECTIONS: KINGSDOWN, 2N TO WILBURN RD., W TO RD. #120, 1N, E INTO.

MAIN SECTION

SUPERIOR
Hays,
Kansas

SUPERIOR WELL SERVICES

Kansas

Database File:	004777pdn.db
Dataset Pathname:	pass6.1
Presentation Format:	slt
Dataset Creation:	Fri Jan 01 18:56:30 2010 by Calc Open-Cased 051020
Charted by:	Depth in Feet scaled 1:240

0 GAMMA RAY (GAPI) 150	ABHV	140 DELTA TIME (usec/ft) 40			
6 CALIPER (in) 16	10 (ft3) 0	30 SONIC POROSITY (pu) -10			
	TBHV	0 ITT (msec) 20			
	0 (ft3) 10				




750
800
850
900


950
1000
1050
1100
1150


1200
1250
1300
1350


1400
1450
1500
1550


1600
1650
1700
1750
1800


1850
1900
1950
2000


2050
2100
2150
2200
2250


2300
2350
2400
2450


2500
2550
2600
2650


2700
2750
2800
2850
2900


2950
3000
3050
3100


3150
3200
3250
3300
3350


3400
3450
3500
3550


3600
3650
3700
3750


3800
3850
3900
3950
4000


4050
4100
4150
4200


4250
4300
4350
4400
4450


4500
4550
4600
4650


4700
4750
4800
4850


4900
4950
5000
5050
5100


5150
5200
5250
ITT
ABHV
5300
5.5" ABHV



SUPERIOR
WELL SERVICES

SUPERIOR
Hays,
Kansas

REPEAT SECTION

Database File: 004777pdn.db
Dataset Pathname: pass5.1A
Presentation Format: slt
Dataset Creation: Fri Jan 01 19:00:25 2010 by Calc Open-Cased 051020
Charted by: Depth in Feet scaled 1:240




5100
5150
5200
5250


5300
5350
5400
0 GAMMA RAY (GAPI) 150
6 CALIPER (in) 16
ABHV
10 (ft3) 0
TBHV
0 (ft3) 10
140 DELTA TIME (usec/ft) 40
30 SONIC POROSITY (pu) -10
0 ITT (msec) 20