



Dual Induction Log

DIGITAL LOG (785) 625-3858

API No.	15-159-22,600-00-00	
Company	Gilbert-Stewart Operating, LLC	
Well	Lincoln No.2	
Field	Chase-Silica	
County	Rice	State Kansas
Location	330' FSL & 2310' FEL	
Sec:	6	Twp: 19S Rge: 9W
Permanent Datum	Ground Level	Elevation 1710
Log Measured From	Kelly Bushing	7 Ft. Above Perm. Datum
Drilling Measured From	Kelly Bushing	K.B. 1717
		D.F. 1710
		G.L. 1710

Date	11/21/2009
Run Number	One
Depth Driller	3375
Depth Logger	3376
Bottom Logged Interval	3375
Top Log Interval	0
Casing Driller	8.625 @ 305
Casing Logger	304
Bit Size	7.875
Type Fluid in Hole	Chemical
Salinity, ppm CL	7.500
Density / Viscosity	9.1 59
pH / Fluid Loss	11.5 8.0
Source of Sample	Flowline
Rm @ Meas. Temp	.8 @ 50
Rmf @ Meas. Temp	.6 @ 50
Rmc @ Meas. Temp	1.08 @ 50
Source of Rmf / Rmc	Charts
Rm @ BHT	.36 @ 110
Operating Rig Time	4 Hours
Max Rec. Temp. F	110
Equipment Number	15
Location	Hays
Recorded By	C. Desaire
Witnessed By	Derek Patterson

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
 (785) 625-3858

Bushton and Hwy 4, E to Chase Blktp,
 6 1/2 S to H Rd, 1/2 W, N Into


Database File: c:\warrior\data\gil-stew_lincoln no.2\gshd.db
 Dataset Pathname: dil/gsstk
 Presentation Format: dil2in
 Dataset Creation: Sat Nov 21 04:02:07 2009
 Charted by: Depth in Feet scaled 1:600



0 Gamma Ray 150
-200 SP (MV) 0



0 Shallow Resistivity (Ohm-m) 50
0 Deep Resistivity (Ohm-m) 50
1000 Conductivity (mmho/m) 0
15000 Line Tension (lb) 0


LSPD
(ft/min)

Shallow Resistivity
50 (Ohm-m) 500
50 Deep Resistivity (Ohm-m) 500














1550
1600
1650
1700
1750
1800
1850
1900
1950
2000
2050






-71
-71
-71
-69
-69
-69
-69
-69
-69
-69
-69
-69





Database File: c:\warrior\data\gil-stew_lincoln no.2\gshd.db
 Dataset Pathname: dil/gsstk
 Presentation Format: dil
 Dataset Creation: Sat Nov 21 04:02:07 2009
 Charted by: Depth in Feet scaled 1:240






2250

2300

2350

2400

2450




-32

-32

-32

-32

-32




2500

2550

2600

2650




-32

-32

-31

-31




2700

2750

2800

2850




-31

-31

-31

-31




2900

2950

3000

3050

3100




-31

-31

-31

-29

-29




3150

3200

3250

3300




-29

-29


-29

-29



0	Gamma Ray	150
-200	SP (MV)	0
-160	Rxo / Rt	40

3350



-29

0.2	Deep Resistivity (Ohm-m)	2000
0.2	Medium Resistivity (Ohm-m)	2000
0.2	Shallow Resistivity (Ohm-m)	2000
15000	Line Tension (lb)	0

LSPD
(ft/min)