



**Dual Compensated
Porosity Log**

DIGITAL LOG (785) 625-3858

API No. 15-109-20,875-00-00	Company Landmark Resources, Inc.	Well Ottley No. 1-31	Field Wildcat	County Logan	State Kansas
Location 998' FSL & 2260' FEL	Sec: 31	Twp: 14 S	Rge: 32 W	Other Services DIL MEL/BHCS	
Permanent Datum Log Measured From Drilling Measured From	Ground Level Kelly Bushing Kelly Bushing	Elevation 2823	5 Ft. Above Perm. Datum	K.B. D.F. G.L.	2828 2823

Date	1/05/2010
Run Number	One
Type Log	CNL / CDL
Depth Driller	4510
Depth Logger	4509
Bottom Logged Interval	4488
Top Logged Interval	3300
Type Fluid In Hole	Chemical
Salinity, PPM CL	2,000
Density	9.1
Level	Full
Max. Rec. Temp. F	123
Operating Rig Time	5 Hours
Equipment -- Location	4 Hays
Recorded By	K. Bange
Witnessed By	Terry McLeod

Run No	Bit	Borehole Record		Casing Record	
		From	To	From	To
1	12.25	00	219	8.625	24#
2	7.875	219	4510		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Oakley, 23 S to Gold rd (across Smoky Hill river), 3 W, N into

Database File: c:\warrior\data\landmark_ottley no. 1-31\landmark010510hd.db
 Dataset Pathname: dil\land2in
 Presentation Format: cdl
 Dataset Creation: Tue Jan 05 07:57:49 2010
 Charted by: Depth in Feet scaled 1:600

0	Gamma Ray	150
6	Caliper (in)	16

30	Compensated Density (pu)			-10	
2	Bulk Density (g/cc)			3	
15000	Line Tension (lb)			0	
2.625	DGA (g/cc)	3.425	-0.25	Correction (g/cc)	0.25

LSPD
(ft/min)















